

### DEPARTMENT OF THE TREASURY

### BUREAU OF ENGRAVING AND PRINTING FORT WORTH, TEXAS 76131

February 22, 1999

Rosemary Rabbani
Claims Examiner
U.S. Department of Labor
Employment Standards Administration
Office of Worker's Compensation Program
Dallas, TX 75202

Subject:

Cynthia Chavers, file #160324463

Dear Ms. Rabbani:

This letter is to provide additional information referenced in your letter of January 21, 1999 regarding a claim filed by Cynthia Chavers, file number 160324463.

The following will address the six questions mentioned in your letter in the order asked:

Question #1: Provide comments from a knowledgeable supervisor on the accuracy of all statements provided by the employee relative to this claim. Does the agency concur with the employee's allegations? If there are points of disagreement, please explain fully and provide any appropriate supportive evidence.

Answer #1: We are not disputing Ms. Chaver's accounts that she became ill in relation to the incidents mentioned in the claim, however we do not concur with the allegations and conclusions made by Ms. Chavers. At no time were we aware of any substances present in her work environment that were above the OSHA permissible exposure limits. In addition, in all three cases, the safety precautions listed on the MSDS's for chemicals being used were being followed.

Ms. Chaver's letter separates the claim into three exposures:

Exposure 1: Ms. Chavers claimed that smells from the ink mill on 10/24/99 between 0700 and 0900 made her ill. The proposed smell was investigated on 10/24/99 at 0835 by safety personnel and no odor was detected (see attached incident report). In addition, air quality monitoring has been done on several occasions within the ink mill area with no chemicals measuring above or even close to the OSHA permissible exposure limits (PELs) (see attached air quality monitoring data).

Exposure 2: On 11/4/98, Ms. Chavers claimed that fumes from mineral spirits in a drum on the other side of the wall of her office made her ill and could be "toxic". Although there was a satellite waste accumulation drum in this location that was used to collect spent mineral spirits, the drum did not contain any "toxic" solvents which by definition implies halogenated solvents. Also, there is adequate ventilation in the area, which is the primary precaution noted in the MSDS (attached). As a result of a previous claim by Ms. Chavers, the satellite waste accumulation drum was at one time, relocated to another area. During an EPA multimedia inspection on June 9, 1998, the BEP was required to return the accumulation drum to the original area. Satellite accumulation drums are required by the Resource Conservation Recovery Act to be located directly in the area where the work is in progress.

Exposure 3: On 11/30/98, Ms. Chavers claimed that while working in the receiving office, fumes from tar being used for roof repair made her sick. The tarring of the roof was a temporary situation. During this time, significant precautions were taken to minimize fumes from the roofing process. A fume collection system was installed on the roofing tar kettle. Also, the intakes from the roof area into the building were both mechanically shut and physically covered up. Ms. Chavers claims holes in the roof allowed tar fumes to enter the building, however this is not probable since the holes were created during demolition of the old roof and the tar application did not begin until after the new insulation and roofing felts were installed.

Question #2: To what potentially harmful substances has the employee been exposed? Include any fumes, dust, chemicals, etc. Provide the results of any air samples. What levels of concentration are considered safe? Provide a copy of the safety data sheet provided by the supplier if applicable.

Answer #2: It should be noted that no potentially hazardous chemicals are used or stored in Ms. Chavers actual work area (her office). Also, the term "exposed" is defined as contact with hazardous chemicals above OSHA PELs. As mentioned before we are not aware of any chemicals that were above OSHA PELs that she came in contact with. That being said, the following is a list of chemicals used in relation to the three reported exposures:

\*Air Quality Samples Taken within Ms. Chaver's office and surrounding areas (see attached report).

Substance	Highest Level Monitored	OSHA PEL
Printing Ink	.12ppm	300ppm
Varsol	.01ppm	350ppm
Butyl Cellosolve	.015ppm	50ppm

<sup>\*</sup>Air Quality Samples were taken on the following chemicals within the ink mill area. No chemicals were found above OSHA PEL's (see attached reports): .Benzene, toluene, xylene, toluene, ethyl benzene, naptha, carbon black.

Air quality samples are not available for the coal tar or mineral spirits. MSDS are included for all applicable substances.

Question #3: If air samples are not available, please explain in detail the air circulation/ventilation of the claimant's work area (i.e. size of room, fans, overhead air ducts, windows, etc. and where located in relation to the claimant's work area).

Answer #3: The room is 10ft by 21ft with a ceiling of 8ft. This equates to 1680 cubic feet of air space. There are no windows to the outside and there is only one door. Air conditioning is supplied by a direct expansion cooling unit that sits on the decking above the office. This cooling unit supplies 780 cubic feet per minute (cfm) of air into the room, resulting in 27.8 air changes per hour. The supply air is drawn completely from the Contractor Dock Area with no return air directly from the room. There are two diffusers in the room, one near each occupant, supplying 390 cfm each. The room air is then pushed above the ceiling tiles, through a grill, by the supply air and is subsequently discharged back into the dock area through an opening in the decking.

**Question #4:** What tasks did the employee perform which resulted in the exposure or contact? What was the frequency and duration of exposure?

Answer #4: Ms. Chavers was not performing any tasks that would have resulted in exposures to hazardous chemicals during the times of her claims. Paragraph K of her job description requires her to work in an environment where she could be exposed to conditions of irritating or dangerous chemicals.

Question #5: What precautions were taken to minimize effects of exposure (e.g. mask or respirator)?

Answer #5: As previously mentioned, MSDS safety recommendations were followed, and prudent efforts to minimize tar fumes were made.

Question #6: Provide a copy of this employee's position description and physical requirements of the job. Explain how the actual duties varied from the official description.

Answer #6: A copy of Ms. Chaver's position description is included with this letter. Her actual duties did not vary from the official description.

Although we do not believe that Ms. Chavers was exposed to any harmful chemicals above the Permissible Exposure Limits, we are willing to accommodate her by relocating her job. The area we propose would be in Technical Support Administration located some distance away from the loading, receiving and maintenance area. The air quality in the proposed administration area has been monitored and she is much less likely to come in contact with chemicals that may be an irritant for her.

Sincerely,

Robert J. Hobbs, Jr. PE

Manager, Facilities Management Branch And Safety Health, Environmental Section

### Attachments

cc: D. Leon Griffin
Elvie Lacy
Bennie Thomas
Dennis Stark
Fayvet Wesley
Cynthia Chavers

### **Training Records**

All Safety Specialists and Stationary Engineers are on the First Responder Team as discussed in the Chemical Emergency Response manual. All have the 40-hour Hazwoper Training and receive an 8-hour refresher course each year. The First Response Team's mission is to isolate and contain major spills. Major clean ups are contracted to an outside company that specializes in hazardous waste cleanup. See attached training records.

In the event of a chemical emergency the Police force has been instructed to establish a perimeter as directed by the First Response Team. Police representatives are trained if space is available in the class.

To:

Colleen McKinney

From:

Thurman Garrison

Subject:

Hazwoper Refresher Training - Eight Hours

Annual eight-hour Hazwoper Refresher Training was conducted on July 22, 1998 and on August 3, 1998, by the Safety Office. The below listed are the only certificated personnel that attended the training:

NAME	TITLE	DEPARTMENT	COMPLETION DATE
Barnes, Gary	Stationary Engineer	Power Plant	8-3-98
Cavazos, Fred	Stationary Engineer	Power Plant	7-22-98
Creed, Debbi	Industrial Hygenist	Safety	7-22-98
Garrison, Thurman	Safety Specialist	Safety	7-22-98
Hill, Rick	Environmental Tech.	Environmental	7-22-98
Leatherwood, Howard	Stationary Engineer	Power Plant	7-22-98
Martinez, Lucio	Safety Specialist	Safety	7-22-98
McIntire, Don	Stationary Engineer	Power Plant	7-22-98
Powell, Glenn	Stationary Engineer	Power Plant	8-3-98
Regula, John	Industrial Hygienist	Safety	7-22-98
Swift, Gary	Safety Specialist	Safety	7-22-98
Tijerina, Roberto	Lieutenant	Police	7-22-98

Hazwoper Refresher Training should be conducted in July & August of 1999 to keep everyone current. Safety usually conducts the course with Rick Hill's assistance. I am in the initial phase of setting up the course for 1999.

Cc:

Robert Hobbs Karl Bennett

Colleen Thompson

### **8 HOUR HAZWOPER REFRESHER**

**DATE: Wednesday, JULY 15 & 22, 1998** 

TIME: 8AM UNTIL 4PM

**LOCATION: TRAINING ROOM T219** 

SECTION	INSTRUCTOR	TIME	
INTRODUCTION  •COURSE CONTENT •WHAT IS HAZWOPER(HISTORY, LAW, PUI TRAINING REQUIREMENTS).	THURMAN GARRISON	15MIN.	
BEP HAZWOPER PROGRAM  •NAMES OF STAFF & ALTERNATES RESPO •DEFINE LARGE SPILL VS. SMALL SPILL •SEQUENCE OF EVENTS IN CASE OF SPILL •CONTACTS(PHONE # AND INDIVIDUALS) BREAK	<b>L</b> ;	11/2HR.	
•DISCUSS WRITTEN BEP HAZWOPER PRO- DISCUSS SPILL EVENTS THAT HAVE OCC RESPONSE SCENE AND THE APPROPRIA DIFFERENT FROM WHAT OCCURRED •EMPLOYEE'S ROLE IN THE RESPONSE PL AND CONTROL	CURRED AT THE BEP, THE ACTUAL TE RESPONSE SCENARIO IF	TOMIN.	
BREAK		15MIN.	
MEDICAL SURVEILLANCE REQUIREMENTS •INCLUDING RECOGNITION OF SYMPTOM: INDICATE OVEREXPOSURE TO HAZARDS	S & SIGNS THAT MIGHT	1/2HR.	
HAZARD RECOGNITION  •CLASSIFICATION, DETECTION, SURVEY TO BE SUBJECT OF SURVEY TO BE SUBJECT OF SURVEY TO BE SUBJECT OF SURVEY TO USE THE MSDS DURING A SPILL THE SUBJECT OF SUB	•	1HR.	
LUNCH BREAK		1/2HR.	
DOT RESPONSE GUIDEBOOK	THURMAN GARRISON	1/2HR.	
PERSONAL PROTECTIVE EQUIPMENT	DEBBI CREED	3/4HR.	
BREAK	er e	15MIN.	
BEP RESPONSE EXERCISE  •DONNING, DOFFING, DECON  •LOCATION & DESCRIPTION OF HAZARDO  •SPILL CARTS (CONTENTS & LOCATION)  •SAFE USE OF ENGINEERING CONTROLS &  •SPILL SIMULATION EXERCISE		2HRS.	

<sup>\*\*</sup>CERTIFICATES WILL BE ISSUED APPROXIMATELY 2 WEEKS AFTER COMPLETION OF TRAINING.

### honal Health Federal Occupat Antich States

Certiffies Chat Gamp Marmes

Has Succestully Completed eastedous Waste Operations 8 Bonc A

Ketresher Training Requirements

as per 29 CFK 1910.120 Aygust 3, 1998

Eurigate Belgado, CIH

## Amic States Amili Aeath Somme Federal Programme Health

Certuties That Fred G. Consos

Has Successfully Completed Hazardous Waste Operations 8 Hour Amu Refresher Training Requirements as per 29 CFR 1910.120

July 22, 1998

Enrique Belgado, CIH

Certufies That

### Debbi Creed

Hasardous Waste Specations 8 Hour Amual Refresher Training Requirements as per 29 CFR 1910.120 July 22, 1998

Lebei Cred, City

Certufies That

## Churman J. Garrison

Hazardous Waste Operations 8 Hour Annual Refresher Craining Requirements as per 29 CFR 1910.120



Certufies That

### Kick Hill

Has Succestully Completed Hazardous Edaste Operations 8 Hour Annual Kefresher Craining Requirements as per 29 CFR 1910.120 Fuly 22, 1998

Bettii Creet, CAR

## United States Builly Health Section

Certufies That Howard Aeatherwood

Has Succestully Completed hasardous Waste Sperations 8 Hour Annua Ketresher Training Requirements as per 29 CFR 1910.120

July 22, 1998

Enphyne Welgado, CIK

Certufies That

### Lucio Martinez

Hasardous Waste Operations 8 Hour Annual Refresher Training Requirements as per 29 CFR 1910.120 July 22, 1998
Choi Cheel, City

## Anth States Buill Health Section

Certufies That

### Abm Anti-Shume

Has Successfully Completed Hasardous Waste Operations 8 Hour Annua Kefresher Craining Requirements as per 29 CFR 1910.120

Fuly 22, 1998

Enylque Belgado, CIO

### Amit States Double Health Section Federal Occupal

Certufics Office

### Genn Powell

Has Succestilly Completed Hasardous Waste Operations 8 Hour Annua Ketresher Training Requirements as per 29 C-FR 1910:120

August 3, 1998

In the

Enrique Belgado, CIB

Certufies That

### John Regula

Has Succesfully Completed Hazardous Waste Operations 8 Hour Annual Refresher Training Requirements as per 29 CFR 1910.120 July 22, 1998 Debi Creed, C3瓊

Certufies Chat

### Gary Swift

Has Succestully Completed Hazardous Waste Operations 8 Hour Annual Refresher Training Requirements as per 29 CFR 1910.120 Fuly 22, 1998

Cond
Bethi Cred, CIP

## Anth States Bullic Health Section

Certufies That

### Koberto Cijerima

Has Succestully Completed Hazardous Chaste Operations 8 Hour Annua Kefresher Craining Requirements as per 29 CFR 1910.120

July 22, 1998

Chrique Belgado, CIH

### CHEMICAL EMERGENCY RESPONSE PLAN

### EMERGENCY CONTACTS AND FACILITY DESCRIPTION

**Emergency Contact: Colleen McKinney** 

Work Phone:

(817) 847-3820

Title: Chemical Engineer

**Emergency Phone:** 

(800) 405-5831

**Chemical Emergency Coordinator** 

**Emergency Contact: Karl Bennett** 

Work Phone:

(817) 847-3945

Title: Senior Safety Specialist

**Emergency Phone:** 

(800) 314-7649

**Acting Chemical Emergency Coordinator** 

Facility Type: Currency Production

Operating Schedule: 24 hours per day, Monday – Friday

Average Daily Discharge of Waste Water: 150,000 GPD

### BACKGROUND

Several governmental regulations require industry to prepare written plans which describe the management of chemicals and hazardous waste and the response in the event of a spill. These regulations are contained in federal, state and local laws. City of Fort Worth ordinance requires an Accidental Discharge Plan for preventing slug loads of pollutants into the sanitary sewers. This requirement is derived from EPA rules for the pretreatment of industrial waste (reference: 40 CFR 403.8 (f)(2)(v)).

The EPA hazardous waste regulations, RCRA, require generators to prepare a Contingency Plan to minimize the effects of accidental releases of hazardous waste to the environment (reference: 40 CFR 262.34 (4) and 265.52). This requirement is repeated in state rules.

In addition, OSHA requires industry to prepare an Emergency Response Plan which addresses employee safety and cleanup response in the event of a hazardous chemical spill (reference: 29 CFR 1900.38 (a) and 1910.120 (q)).

Since each of the required plans have common elements, the Western Currency Facility of the Bureau of Engraving and Printing has developed this comprehensive plan to satisfy them.

1 of 17 Date: 5/1/98

### SCOPE AND PURPOSE

This plan describes the facility and the procedures to protect employees and the environment from harm in the event of a chemical or hazardous waste spill. This plan complies with the regulatory requirements of OSHA, EPA and the City of Fort Worth for emergency planning.

### INDUSTRIAL PROCESSES AND CHEMICALS

The primary business of the Western Currency Facility of the Bureau of Engraving and Printing is the (1) printing of paper currency. In addition, (2) nickel plates used to print currency are manufactured, (3) PVC wiping rollers are resurfaced, (4) waste ink is reconstituted for reuse within the facility and virgin ink is manufactured. Each of these manufacturing processes are described below.

### 1. Currency Production

Using 12 intaglio printing presses, approximately one million sheets of currency are printed per day. This currency is allowed to air dry and is then examined visually for defects. The final printing of the currency is then done in the Currency Overprinting and Packaging (COPE) area. No floor drains are present in any of these production areas.

The intaglio presses are cleaned and waste ink is removed using solvent and a rinsing solution called "Water Wipe". It is composed of 98.5% soft water, 1.0% sodium hydroxide and 0.5% sulfated castor oil. This waste "water wipe" solution is collected in underground double walled sumps (with a leak detection system) and pumped to the waste pretreatment plant in another area of the plant.

Cleaning in the COPE area is primarily done with solvent. In the COPE printing area, a solvent accumulation drum is used to collect excess solvent.

### 2. Platemaking.

An electrolytic plating process is used to manufacture nickel printing plates for use on the intaglio presses. These plates are hard chromed to add strength. There are two nickel tanks and two chrome tanks in the plate making process. Soft water is used to rinse the plates when they are removed from a plating tank. This rinse water drains into a sump which is pumped over to waste treatment where it is treated in a coagulation/flocculation process to remove the heavy metals. If the contents of the plating tanks are to be replaced, the old chemical is pumped into waste accumulation drums and shipped as hazardous waste. There are no floor drains to the sanitary sewer in this area.

### 3. Plastirota.

Polyvinyl chloride (PVC) wiper rollers are resurfaced in Rollermaking. There are no floor drains in this area. The PVC powder is mixed with a gel monomer catalyst to make the PVC paste that is applied to the roller surface. Cleaning in the roller making area is primarily done with solvent. A solvent accumulation drum is used to collect excess solvent.

Date: 5/1/98 2 of 17

Ink Reconstitution and Manufacturing.

Ink reconstitution and manufacturing began at the Western Currency Facility in 1997.

Waste ink is collected from the intaglio presses and drummed. This waste product is moved to the ink mill area where it is reconstituted. The reconstituted ink is returned for use on the intaglio presses. One other ink product is currently in production in the ink mill; that is, an intaglio non-magnetic black ink. No floor drains to the sanitary sewer exist in this area. Equipment cleaning in the ink mill is done primarily with solvent. A solvent accumulation drum is used to collect excess solvent.

### WASTE PRETREATMENT.

The waste water wipe solution described in Number 1 above is pumped to the waste treatment area where it is treated in a coagulation/flocculation process to remove the ink solids. Coagulant is separated by centrifugation. The equalization tank, four treatment tanks and the calcium chloride storage tank are all surrounded by a 3-foot secondary containment wall. There are no drains to the sanitary sewer in this area. There is a drain to a double-walled underground spill containment tank with a leak detection system.

Sulfuric acid is used to neutralize the decant from the centrifuge. Ninety-three percent sulfuric acid is purchased and stored in a 6,000-gallon tank. The 93% sulfuric acid is diluted to 17% which is stored in a 4,000 gallon tank. The sulfuric acid tanks are surrounded by a 3-foot secondary containment wall. There is no drain to the sanitary sewer in this area. Sulfuric acid spills are neutralized in the area using sodium bicarbonate and cleaned up.

Solids removed during the centrifugation of the treated waste rinsing solution are classified as a Class I, industrial non-hazardous waste. These solids are collected in 55-gallon drums.

As discussed in Number 2 above, the rinse water from platemaking is treated in a separate treatment system to remove the metals from the waste stream. It is a coagulation/filtration batch process that uses a filter press to separate the coagulated solids. The water effluent from the system is bench tested for metal content before it is released to the sanitary sewer. The treatment system is surrounded by an 8-inch secondary containment berm. No floor drains to the sanitary sewer are in this area.

### WASTE DISPOSAL

All process wastes are placed in compatible containers and properly labeled. All waste containers are staged in Area 12, adjacent to Dock doors 13 and 14 in preparation for shipment. There are no floor drains in this area. Spill cleanup and absorbent materials are available in this area should a spill occur. The Western Currency Facility follows applicable accumulation and disposal requirements and utilizes a reputable, registered waste disposal contractor for shipment and disposal of industrial non-hazardous and hazardous wastes.

Date: 5/1/98 3 of 17

### HAZARDOUS MATERIALS OVERVIEW

### I. HAZARDOUS MATERIALS

Hazardous materials present in the plant in container volumes greater than 55 gallons are summarized below. Hazardous materials in consumer quantity packing is not addressed because the packaging of these materials reduces the possibilities of contamination. However, hazard warnings on these packages should not be ignored or minimized because of their exclusion from this discussion.

- A. \* Except for fuel oil the hazardous materials in Figure 3.1 are received by Shipping and Receiving personnel at Post 9 and stored in the specified locations. Fuel oil is received in a tank truck and unloaded directly into the fuel oil tanks.
- B. The hazardous materials in Figure 3.2 are received by the Waste Treatment Contractor in tank trucks, off-loaded at the pump house and stored in the tanks provided in Waste Treatment.
- C. Industrial Hazardous Waste. Hazardous waste accumulation drums are listed in Figure 3.3. When an accumulation drum is full, the area supervisor will notify the Environmental Technician. The Environmental Technician will inspect and label the drum and arrange to have it removed to the hazardous waste staging area in preparation for shipment. The Environmental Technician will also arrange for a new accumulation drum that is labeled. The plant's Chemical Engineer is responsible for ensuring that the Western Currency Facility is in compliance with all Federal, State, local and BEP regulations.

### II. INVENTORY OF HAZARDOUS MATERIALS

The Safety and Occupational Health Office must maintain a complete inventory of the hazardous materials, by location, in the Western Currency Facility. This inventory provides immediate data on the materials stored and used in the areas, maximum quantity and health, flammability and reactivity hazards relative to the material. The Police Operations Command Center located in the hardened command center will maintain a duplicate copy of the inventory for Fire Department use.

Each work center will maintain a copy of the Material Safety Data Sheets (MSDS) for the material in use in the area.

### III. PERSONNEL TRAINING

All personnel will receive Hazard Communication training through the Safety and Occupational Health Office. General Stores personnel who are the primary movers of hazardous materials will receive specialized training by the Plant's Chemical Engineer.

Date: 5/1/98 4 of 17

Hazardous Material - General

Figure 3.1

Material Description	ption Container Location Location Size Description		Hazard	
Mineral Spirits Naptha Odorless Mineral Spirits Isomet Solvent Fuel Oil - Tank Fuel Oil - Tank Plastirota Monomer Chromic Acid Flakes Chromic Acid Sodium Hydroxide (NaOH) Sodium Hydroxide (NaOH)	55 gal 350 gal tote 55 gal 55 gal 10,000 gal tank 10,000 gal tank	Outside Outside P-119 P-175 P-120 P-120	Flammable Liquid Storage Flammable Liquid Storage Portable Storage Bldg Flammable Liquid Storage Underground Storage Tank Underground Storage Tank Warehouse Warehouse Platemaking Platemaking Warehouse	Flammable Flammable Flammable Flammable Combustible Combustible Reactive Corrosive Corrosive Corrosive

Figure 3.2

Hazardous Materials - Waste Treatment (Bulk)

Material Description	Container Size	Location	Location Description	Hazard
Sodium Hydroxide (NaOH) Sulfonated Castor Oil Water Wipe, T4W Water Wipe, T5W Sulfuric Acid, 93% - Tank Sulfuric Acid, 17% - Tank	10,000 gal tank 6,000 gal tank 1,600 gal tank 1,600 gal tank 6,000 gal tank 4,000 gal tank	S-138 S-138 S-138 S-151	Waste Treatment Waste Treatment Waste Treatment Waste Treatment Waste Treatment Waste Treatment	Corrosive Combustible Corrosive Corrosive Corrosive Corrosive

Figure 3.3

Hazardous Waste Accumulation Drums

Waste Description	Container Size	Accumulation Points	Location	Hazard
Waste Solvent	55 gal drum	Ink Mill COPE	M109 P101	Flammable Flammable
Waste Oils	55 gal drum	Plastirota EM Shop		Flammable Combustible
Chromic:Acid Sodium Hydroxide	, 55 gal drum 55 gal drum	- 1	P120 P120 S125	Corrosive Corrosive

### SPILL PREVENTION

The Western Currency Facility of the Bureau of Engraving and Printing avoids purchasing excessive volumes of chemicals. Chemical inventories are tracked by computer and are automatically ordered when inventories fall below specified quantities.

The currency production, platemaking, plastirota and ink mill areas have no floor drains to the sanitary sewer, therefore, contamination is impossible from spills. Absorbent material is available within each local production area to respond to spills.

In waste treatment, no floor drains to the sanitary sewer are present. The secondary containment area under the treatment tanks drains to a double-walled, underground spill containment tank with a leak detection system. The room in which the waste water wipe solution of 98.5% soft water, 1.0% sodium hydroxide and 0.5% sulfated castor oil is mixed has no drains to the sanitary sewer. Drains to the double-walled, underground spill containment tank mentioned above are present.

Bulk deliveries of liquid chemicals to waste treatment are received at the pump house just outside the waste treatment area. Absorbent material is available in the pump house to keep spills from the off-loading operation of these tanker trucks from contaminating the storm sewer.

Spills are prevented in handling by proper training and licensing of forklift drivers. Chemicals are purchased in quantities smaller than 55 gallons, which limits the potential for a large spill.

Date: 5/1/98 5 of 17

### SPILL RESPONSE

The spill or release of chemicals or hazardous waste is considered an emergency situation. The response to such an incident may have these elements:

- I. Awareness and Identification
- II. Evacuation
- III. Notification
- IV. Spill Cleanup

Personnel from the affected work area can execute the elements listed above for <u>all minor spills</u>. A <u>minor spill</u> is one which is contained on-site and does not involve contamination of air, soil, drainage, or groundwater off-site and is a spill which can be cleaned up by employees wearing simple personal protection, i.e., gloves, aprons, boots and face shields.

A <u>major</u> spill is a chemical release which contaminates or has the potential to contaminate air, soil, or water outside the Western Currency Facility property. It must also be a spill which involves dangerous fumes or toxic conditions and requires the use of special protective gear, such as respirators or self-contained breathing apparatus. Any major spill will require a response from outside agencies or specialized contractors.

Each of these elements are discussed in this plan.

Date: 5/1/98 6 of 17

### I. AWARENESS AND IDENTIFICATION

Employees will initiate the response upon awareness of an emergency situation. A spill can be as easy to identify as the sudden, unplanned release of liquid chemicals from a tank rupture, or the presence of smoke or fumes. A spill may be subtle such as a wet area around the base of a drum. Upon awareness, an employee will follow these procedures:

### A. Employee's Responsibility.

- 1. Warn other workers to stay clear of the spilled material.
- 2. Immediately report the spill to the supervisor of the area in which the spill has occurred.
- 3. If there is no supervisor present or if the incident occurs in a public area, the employee will assume the supervisor's responsibilities.

### B. Supervisor's Responsibility (If the supervisor is not present, the EMPLOYEE ASSUMES THIS RESPONSIBILITY).

1. Will immediately assess the spill and decide if the spill is an emergency situation. Not all spills will be considered an emergency.

A <u>minor spill</u> is contained on-site and does not involve contamination of air, soil, drainage or groundwater off-site, and is a spill which can be cleaned up by employees wearing simple personal protection, i.e., gloves, aprons, boots and face shields.

A <u>major spill</u> is a chemical release which contaminates or has the potential to contaminate air, soil, or water outside the facility property. It must also be a spill which involves dangerous fumes, toxic conditions and requires the use of special protective gear, such as, respirators or self-contained breathing apparatus. Any <u>major spill</u> will require a response from outside agencies or specialized contractors.

- 2. If an emergency situation exists, the supervisor will;
  - a. Immediately evacuate the area to the designated fire evacuation muster point.
  - b. Notify the Police Operations Command Center.
  - c. The supervisor immediately goes to the muster point to account for all the employees evacuated from the area.

### C. Police Operations Command Center

1. Immediately notify the First Response Team by radio/telephone.

- 2. <u>If directed</u> by the First Response Team, the Police will call 911 for emergency assistance.
- 3. Secure the perimeter established by the First Response Team.
- 4. Escort outside emergency response personnel.

### D. First Response Team (FRT)

The First Response Team will direct the response. The First Response Team consists of the Power Plant Stationary Engineers assisted by any contract Safety Specialists currently on site. Upon notification from the Command Center, the responsibilities of the First Response Team are:

- 1. Immediately assess the emergency situation.
- 2. Establish a perimeter and, if possible, prevent the spill from contaminating other areas. Notify the Police Command Center of location of the perimeter.
- 3. If outside emergency assistance is needed the First Response Team will radio or telephone the Police Operations Command Center who will call 911.
- 4. Identify the character, source and amount of any released materials either by observation or review of facility records or manifests.
- 5. Notify the Chemical Emergency Coordinator of the emergency.

### E. Chemical Emergency Coordinator (CEC)

- 1. Obtain a description of the emergency from the First Response Team.
- 2. Assess possible hazards to human health or the environment that may result from the release, fire, or explosion. This assessment must consider both direct and indirect effects of the release, fire, or explosion.
- 3. If the CEC determines that the facility has had a release, fire, or explosion which could threaten human health, or the environment outside the facility, he/she must report the findings as follows:
- a. Immediately notify the National Response Center using the 24-hour toll free number (800) 424-8802. The report must include:
  - (1) Name and telephone number of reporter;
  - (2) Name and address of facility;
  - (3) Time and type of incident (e.g., release, fire);

- (4) Name and quantity of material involved, to the extent known;
- (5) The extent of injuries, if any and
- (6) The possible hazards to human health or the environment outside the facility.
- b. Ensure that fires, explosions, and releases do not occur, recur, or spread to other hazardous materials at the facility. These measures must include, where applicable, stopping processes and operations, collecting and containing released material and removing or isolating containers.
- c. If the facility stops operations in response to a fire, explosion or release, the CEC must monitor for leaks, pressure buildup, gas generation, or ruptures in valves, pipes, or other equipment, wherever this is appropriate.

### II. EVACUATION

The procedures for evacuation presented in Appendix A will be followed in all emergency situations.

Date: 5/1/98 9 of 17

### III. NOTIFICATION

The Chemical Emergency Coordinator will notify all environmental agencies as required by local, state and federal regulations.

### A. SANITARY SEWER SPILLS:

City of Fort Worth Water Department The City of Fort Worth will be notified immediately by the Chemical Emergency Coordinator of any accidental or slug discharge into the sanitary sewer system. A slug discharge is "any discharge of water, sewage, or industrial waste other than toxic material which in concentration of any given constituent or if quantity or flow exceeds for any period of duration longer than fifteen(15) minutes or more than five times the average twenty-four (24) hour concentration or flow during normal operations." The phone numbers for notification are:

Pretreatment Services Division
 920 Fournier Street
 Fort Worth, TX 76102-3456

Phone: 817-871-8305

Field Operations Phone: 817-871-8300

### B. SPILLS ONTO SOILS OR DRAINAGE:

State rules require the prompt notification of spills. If there is a spill of chemicals or of industrial waste water of any volume onto the soil or into a drainage that migrates off-site, then the Texas Natural Resources Conservation Commission (TNRCC) must be notified. The notification must be made immediately or no later than twenty-four (24) hours after the spill. The phone contact numbers for the TNRCC local office and the twenty-four (24) hour Emergency Response Center in Austin are:

TNRCC Region 4 Office 1101 East Arkansas Lane Arlington, TX 76020-6499 TNRCC – Austin Pollution Clean Division Messenger Building D P.O. Box 13087 Austin, TX 78711

Phone: 512-463-7727 (24-hour hotline)

If the "reportable quantity" for the spilled material is exceeded, then the EPA (as well as emergency management agencies) must be notified. Hazardous substances and reportable quantities are listed in 40 CFR 302.4. If the off-site spill exceeds these amounts, then immediately call:

Local Emergency Planning Commission for Tarrant County 1000 Throckmorton Street Fort Worth, TX 76102-4733 817-871-6088 (working hours)

National Response Center, U.S. Coast Guard 800-424-8802

Within five (5) days of a reportable accident release, a written report must be submitted to the appropriate agency for review to prevent recurrence. The report will explain the causes of the spill and corrective actions to prevent further problems.

### IV. SPILL CONTAINMENT AND CLEANUP

Spills of hazardous material in all areas without floor drains to underground emergency spill containment tanks will be contained and cleaned up with absorbents. Absorbents are available in all production areas. Large spills are unlikely because chemicals are maintained in their original factory containers or smaller compatible containers.

In the waste treatment area, an underground spill containment tank located just outside the south door of the plant can receive spilled material from the secondary containment area around the treatment tanks and from the water wipe makeup area. The contents of the spill containment tank can be pumped back into the equalization tank for treatment.

A. Waste rinsing solution: If a spill occurs in the secondary containment area under the treatment tanks in waste treatment, the spill will drain to an underground spill containment tank..

B. Water Wipe Makeup: Spills of 50% sodium hydroxide, 35% sulfonated castor oil or mixed water wipe solution will drain to the underground spill containment tank.

A spill in the sulfuric acid secondary containment area is neutralized with sodium bicarbonate. The neutralized solution is pumped into the spill containment tank.

Bulk chemicals for use in waste treatment are delivered to the pump house located at the southeast corner of waste treatment. Absorbents are kept in the pump house to contain any spills at the pump house.

### C. The First Response Team will:

- 1. Direct cleanup of minor spills. If the spill requires an outside Decontamination/ Clean Up contractor, the team will stand by to assist the contractor.
- 2. Prepare a written report describing what occurred and what actions were taken.

### D. The Chemical Emergency Coordinator

- 1. After an emergency, the emergency coordinator must provide for packaging and removal of collected waste, contaminated soil or surface water, or any other material that results from a release, fire, or explosion at the facility.
- 2. Ensures that no waste that may be incompatible with the released material is present until cleanup procedures are completed.
- 3. All emergency equipment is cleaned and available for use.

Date: 5/1/98 12 of 17

### EMPLOYEE TRAINING

All Western Currency Facility employees receive Hazard Communications training through the Safety Department during the new employee training program and as a part of an ongoing Safety Training program.

Shipping/Receiving and General Stores material handling personnel receive additional training in the transportation of hazardous materials (DOT) and hazardous materials operations (HAZWOPER).

### PLAN POSTING, REVIEW AND UPDATE

Copies of applicable procedures contained within this plan will be posted in the shop area for reference in the event of a spill or release.

A file copy will be maintained in the Safety and Environmental offices and Police Command Center. It is reviewed annually for updating in cases, such as, process changes, addition of new chemical materials, and employee turnover.

In the event of a plan update, a current copy will be forwarded to the City of Fort Worth Industrial Waste Section. This current plan is implemented as of May 1, 1998.

### RESPONSIBILITIES OF PERSONNEL

- I. The Plant Manager is responsible for ensuring that facilities are maintained and operated to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste to air, soil, or surface water which could threaten human health or the environment.
- II. Safety and Occupational Health Specialist.
  - A. Ensures that the basic provisions of this manual are disseminated to all persons employed in the facility.
  - B. Ensures that appropriate personnel are trained to provide technical guidance for safely dealing with chemical emergencies.
  - C. Develops or provides an Emergency Spill Control Guide for dissemination to Chemical Emergency Response Team (CERT) members.
  - D. Maintains liaison with state and local emergency response teams to plan for emergency services in the event of a chemical disaster.

Date: 5/1/98

- E. When directed by the First Response Team, reports the emergency to the Plant Manager, including the potential extent of injuries and hazards to human health or the environment outside the facility.
- F. Assists the Chemical Emergency Coordinator (CEC) with the technical supervision of incidents involving releases of flammable hazardous materials.
- G. Serves as the assistant CEC, providing technical expertise in situations where chemical releases may have possible hazards to human health.
- H. Tests for airborne concentrations of the chemical contaminant.
- I. Recommends the appropriate personal protective equipment required for use by personnel during emergency response operations.
- J. Provides chemical toxicity information to the Clinic when first-aid or emergency treatment of personnel is required.
- K. Ensures that any personnel exposures to hazardous substances in excess of federal limits are documented.

### III. Chemical Emergency Response Team (CERT).

The CERT is comprised of the Chemical Emergency Coordinator, the First Response Team, the Chief Stationary Engineer, the Utilities Control Team and Contract Safety Specialists.

- A. Chemical Emergency Coordinator (CEC). A CEC will be appointed in writing and made known to all holders of this manual. The CEC will be available or on call 24 hours per day. The responsibilities of the CEC are:
  - 1. Reports to the site to assume technical supervision of the control and cleanup of the spill or release of hazardous materials and to contact other members of the Chemical Emergency Response Team as required.
  - 2. Monitors and is familiar with all aspects of the Emergency Contingency Manual, all operations and activities of the facility, the facility layout and the location and characteristics of all hazardous chemicals handled.
  - 3. Maintains all records required by this manual.
  - 4. During an actual emergency, the CEC should take all reasonable measures necessary to ensure that chemical releases do not spread or recur in other areas of the facility.
  - 5. Immediately following the emergency, the CEC will provide for the treatment, storage and disposal of any recovered materials, including contaminated soil or surface water, and other waste materials generated from a fire, explosion or chemical release.
  - 6. Ensures that all equipment utilized during a chemical emergency is cleaned and restored to its original condition prior to the resumption of normal activities. This will include replenishing any supplies that may have been used from the emergency "Spill Karts".

Date: 5/1/98

- 7. If any or all parts of this plan fail, the CEC should evaluate why the plan was ineffective, and provide a corrective written addendum to be a permanent part of the Emergency Contingency Manual.
- B. First Response Team (FRT). The First Response Team is comprised of the Power Plant Stationary Engineers assisted by any Contract Safety Specialists currently on site. The duties of the First Response Team are:
  - 1. After notification by the Command Center of a reported spill, obtain necessary personal protective equipment and report to spill location. Assess the size of the spill, determine if outside help needs to be called in and notify Command Center of perimeter to be established.
  - 2. Contain the spill, if at all possible, to prevent further spread of material into other parts of the facility.
  - 3. Have the Contract Safety Specialist contact the CEC and give an assessment of the situation.
  - 4. If possible, begin cleanup operations. If the spill is of a large quantity requiring an outside Decontamination/Clean Up Contractor, stand by to assist the Contractor, if needed.
  - 5. Provide the CEC with a written, after-the-fact report describing what happened and what actions were taken.

Date: 5/1/98 15 of 17

- C. Chief Stationary Engineer. The BEP's Chief Stationary Engineer is responsible for controlling building utilities during an emergency. Production equipment, such as presses, examining machines and COPEs, shall be controlled by the respective operators. The Chief Stationary Engineer serves as head of the Utilities Control Team and performs the following duties:
  - 1. Establishes a plan to monitor mechnical devices, such as ventilation systems, water, gas and steam valves, power switches, etc., during emergencies.
  - 2. Dispatches individuals or teams to prearranged control points for preplanned or directed action.
- D. Utilities Control Team (UCT). The on-site building Operations and Maintenance Contractor personnel shall comprise the UCT. Under the direction of the BEP's Chief Stationary Engineer, the UCT will be responsible for controlling utilities during an emergency. The team shall report to pre-designated locations.
- E. Contract Safety Specialist: The Contract Safety Specialist shall respond to the notification from the Command Center to the First Response Team that there is a spill. The Contract Safety Specialist shall:
  - 1. Assist the FRT in assessing and confining the spill. As soon as practical, notifies the CEC of the situation and relays any instructions from the CEC to the FRT.
  - 2. Ensure that the FRT and/or Decontamination/Clean Up Contractor is equipped with the proper personal protective clothing, supplies and equipment necessary to contain and clean up the spill or other waste materials prior to the resumption of normal operations.
- F. Medical Clinic Staff (MCS). The Medical Clinic Staff is responsible for training and equipping all personnel assigned to perform medical or first-aid services in an emergency, and for supervising emergency first-aid or medical self-help emergency operations within the building during an emergency. MCS duties include:
  - 1. Selects a first-aid or medical treatment staging area during an emergency that involves a number of injuries.
  - 2. Directs first-aid operations and controls access to medical supplies, as required, to assure their proper use, conservation, and availability for emergency use.
  - 3. Ensures personal protective equipment is provided for Clinic Staff.
  - 4. Maintains liaison with Forth Worth area hospital emergency rooms and ambulance/flight transportation to coordinate emergency services as required.

Date: 5/1/98


- G. Facilities Police. Police personnel are responsible for maintaining security during clean-up operations. Their duties include:
  - 1. Notify the First Response Team when a chemical emergency is reported.
  - 2. Control the perimeter established by the First Response Team.
  - 3. If requested by the First Response Team, call 911 to report the emergency.
  - 4. Notify roster officials to be contacted in the event of an emergency of the nature and location.
  - 5. Assign police officers to exterior exits to perform the necessary security checks required in the event of evacuation.
  - 6. In the event a total building evacuation becomes necessary, they shall man the Secondary Command Center, located in the Main Gate Office.

Date: 5/1/98 17 of 17



# FIRE, CHEMICAL AND EMERGENCY CONTINGENCY MANUAL

9/26/94



# FIRE, CHEMICAL AND EMERGENCY CONTINGENCY MANUAL

### WESTERN FACILITY

### 9/26/94

CHAPTER	SUBJECT	PAGE
1	INTRODUCTION	1-1
2	ORGANIZATION	2-1
3	HAZARDOUS MATERIALS OVERVIEW	3-1
4	FIRE PROTECTION AND EMERGENCY EVACUATION PLAN	4-1
5	CHEMICAL EMERGENCY RESPONSE	5-1
6	CIVIL DEFENSE PLAN	6-1

### CHAPTER 1 - INTRODUCTION

- 1-1 INTRODUCTION. The Director, Bureau of Engraving and Printing (BEP) has the responsibility for minimizing danger to life and property arising from the effects of fire, explosions, hazardous chemical/waste spills and or disasters affecting the Bureau's employees, products, equipment and buildings. This plan has been developed for the Fort Worth, Texas Western Currency Facility to comply with:
- (a) Occupational Safety and Health Standards 29 CFR 1910.38, Employee Emergency Plans and Fire Prevention Plans; and
- (b) Environmental Protection Agency Regulations 40 CFR Part 264, Subpart D, Contingency Plan and Emergency Procedures other life or property threatening emergency contingency plans such as bomb threats, riots etc. are addressed by Security Manuals.
- 1-2 PURPOSE. The purpose of this Emergency Contingency Manual is to:
  - (a) Establish written policy;
  - (b) Delineate duties and responsibilities; and
  - (c) Outline training requirements; and
- (d) Comply with the previously specified Federal Regulations
- 1-3. APPLICABILITY: The responsibility and procedures set forth in this manual apply to all property under the charge and control of the Deputy Associate Director (Operations) Fort Worth, and to all persons in or on such property.
- 1-4. LOCATION. The facility is in 3 buildings located at 9000 Blue Mound Road, Fort Worth, Texas and include:
  - (a) intaglio presses;
  - (b) waste water treatment operations;
  - (c) vehicle/hazardous material storage;
  - (d) hazardous waste storage out-buildings;
  - (e) VOC treatment equipment; and
  - (f) vault storage and other support activities.

1-5 OCCUPANCY. There are approximately 525 persons occupying the premisses, divided in 3 shifts as follows:

Day Shift - 302 persons Second Shift - 76 persons Third Shift - 132 persons

- 1-6. AMENDMENT OF THE CONTINGENCY MANUAL. The manual must be reviewed and amended immediately when:
  - (a) Applicable regulations are revised
  - (b) The plan fails in an actual or mock emergency
- (c) The facility changes in design, operations, mission or other circumstance that materially increases the potential for fire, explosion or release of hazardous material/waste or its constituents, or changes in the response necessary in an emergency;
  - (d) The list of emergency coordinators changes; or
  - (e) The list of emergency equipment changes.
- 1-7. MANUAL DISTRIBUTION: An updated copy of the Emergency Contingency Manual must be distributed as follows:
  - (1) Central Files;
  - (2) Environmental Office;
  - (3) Security Office;
  - (4) Police Operations Command Center;
  - (5) Safety and Occupational Health Office;
  - (6) The Fort Worth Emergency Management Office;
  - (7) Currency Production Office;
  - (8) Facility Management Office;
- 1-8. OFFICE OF PRIMARY RESPONSIBILITY. Safety, Health, Environmental Services and Compliance Staff.

### CHAPTER 2 ORGANIZATION

- 2-1. RESPONSIBILITIES. The establishment of the Emergency Contingency Manual is the joint responsibility of all offices of the Western Currency Facility. The Safety and Occupational Health Office has primary responsibility for developing and maintaining the Manual. Personnel responsible for implementing the Manual will be recruited on an equitable basis from among all offices.
- 2-2. DESIGNATED OFFICIAL. The Deputy Associate Director (Operations), Fort Worth is responsible for overall policy and approval of an Emergency Contingency Manual for the protection of personnel, premises and property. In the event of a disaster, the Deputy Associate Director (Operations), Fort Worth is responsible for any statements to other government officials or the press. No statements regarding any disaster may be made without his prior approval.
- 2-3. SUCCESSION to COMMAND. To provide continuity, certain persons are designated to succeed to command should the Deputy Associate Director (Operations), Fort Worth be unable/unavailable to discharge his/her duties and responsibilities during a fire or chemical emergency. The succession to Command is as follows and in the areas identified in figure 1:

Richard Laird, Support Services Manager Bruce Crouch, Production Manager Security Manager

- 2-4. DESIGNATION of OTHER ORGANIZATIONAL PERSONNEL. The Western Currency Facility will provide the personnel to staff the organization as identified in figure 1. The duties and responsibilities of the organizational components are addressed in various areas of this plan.
- 2-5. BUILDING OCCUPANTS. All employees shall acquaint themselves with the alarm signals and emergency instructions contained in this manual. Each employee is required to respond correctly to alarms and directions by organization personnel during an emergency. Employees must follow the directions of and cooperate with organization personnel.
- 2-6. BASIC FUNCTIONS. The organization as shown in Figure 2 will perform the following functions:
- a. Evacuation of Building Occupants: This function provides for the orderly planned and directed evacuation of building occupants in the event of an emergency. It is performed by the evacuation group under the direction of the Fire Marshal and Area Wardens.

- b. First Aid: This function provides for emergency medical treatment by personnel trained in emergency first aid. It is performed by the Health Clinic personnel and any assistance by qualified WCF Police Unit personnel that they deem necessary.
- c. Utilities Control: This function provides for control of utilities in the building in the event of an emergency. It includes the control of all electrical and mechanical equipment; water, gas and steam valves and piping; power switches; ventilation and refrigeration devices; and any other such utilities and systems in the building. Production equipment shall be controlled by their operators.
- d. Chemical Emergency: This function provides for response to a chemical spill or release of a hazardous material/waste to ensure proper containment, cleanup, disposal, personal protective equipment, property protection, environmental protection and notification of appropriate federal and/or local officials when necessary.
- e. Police Officers: This function provides for the security of products and other property during an emergency. WCF Police Officers also assist in the orderly evacuation of personnel. WCF Police Officers may be requested to assist medical personnel.
- f. Civil Defense: This function provides for emergency response to hostile, sabotage or natural disaster.

### CHAPTER 3 - HAZARDOUS MATERIALS OVERVIEW

### 3-1 NEW HAZARDOUS MATERIALS.

a. Containerized Material: Hazardous materials in the form of new, raw materials for use in the various production and support operations are delivered to incoming materials storage at room P-175 for interim storage or transported directly to the using activity.

### STORAGE AREAS FOR HAZARDOUS MATERIALS ARE:

ROOM #	NOMENCLATURE
P171	WASTE TREATMENT
P127	PRODUCTION SHOP
P120	PLATE MAKING
P100A	CYLINDER CART STORAGE
P100	PRESS ROOM
P101	C.O.P.
P155	INK STORAGE
S146	CHEMICAL DILUTION
S136	CORROSIVE CHEMICAL STORAGE
S150	WASTE TREATMENT TANKS ROOM
S147	LABORATORY
S151	ACID AREA
S148	CENTRIFUGE ROOM
S112	INK MILL ROOM

In general, the hazardous materials consist of flammable and combustible liquids. Additionally, storage of new hazardous materials in these areas consist of compressed flammable gases, caustics in 55 gallon drums, and acids in smaller packages.

a. Bulk Storage Tanks: Hazardous materials in the form of new raw materials in bulk quantities are stored in above and underground locations. Bulk hazardous materials are pumped via piping to production areas or dispensed into portable containers.

### 3-2 HAZARDOUS WASTE MATERIALS:

a. General Management Procedures: Hazardous wastes are generated in almost all production areas. In general, hazardous wastes are to be handled in the same manner as new hazardous materials. The labeling requirements that must be followed for compliance with EPA regulations is where the difference is identified.

The area supervisor, for preparing hazardous waste for transfer, must complete and attach BEP Form 2428, Hazardous Waste Accumulation Record, to the waste container.

When an area has containers ready for disposal, the supervisor requests transport of the material to the designated storage area. The Western Currency Facility has assigned the Hazardous Waste Coordination function to the Chemical Engineer. After the containers are deposited in the Hazardous Material Storage Sheds, the Hazardous Waste Coordinator has the responsibility to ensure that the Western Currency Facility complies with all Federal, State, local and BEP regulations and directives. After the drums are in the Hazardous Material Storage Buildings the coordinator will confirm container labeling and arrange for disposal, ensuring proper manifesting and transport to an authorized disposal site.

- 3-3. INVENTORY of HAZARDOUS MATERIALS. The Safety and Occupational Health Office must maintain a complete update inventory of the hazardous materials, by location, in the Western Currency Facility. This inventory provides immediate data on the materials stored and used in the areas, maximum quantity and health, flammability and reactivity hazards relative to the material. The Police Operations Command Center located in the Hardened Command Center will maintain a duplicate copy of the inventory for Fire Department use. Each work center will maintain a copy of the Material Safety Data Sheets (MSDS) for the material in use in the area.
- 3-4. PERSONNEL TRAINING. Training for personnel handling Hazardous Material will be given by the Safety and Occupational Health Office or by contracted personnel. Production services personnel, who are primary movers of hazardous waste and spilled chemical materials will receive specialized training by a nationally recognized training source.

### CHAPTER 4 FIRE PROTECTION AND

### EMERGENCY EVACUATION PLAN

- 4-1. FIRE PREVENTION. In a facility like the Western Currency Facility that stores, processes and uses combustible and flammable liquids in copious quantities and other hazardous material, fire prevention is necessary. To prevent fires from occurring and, in the event of a fire, to decrease the danger and damage, each employee must follow these rules:
  - a. Maintain good housekeeping practices at all times.
  - b. Identify and correct any apparent fire safety hazard.
  - c. Smoke only in designated areas.
- d. Do not throw matches, cigars, cigarettes or pipe ashes into waste baskets or on floors.
- e. Store oily rags or similar flammable materials in containers approved and supplied for that purpose.
- f. Do not use hot plates, irons, or similar heat producing devices unless such devices are authorized by the Safety and Occupational Health Office and installed and maintained in accordance with fire codes.
- g. Maintain exits and passageways clear to permit free movement of personnel and firefighting efforts.
  - h. Store all flammable liquids in approved containers.
- i. Maintain only one 24 hour supply of flammable materials in work area, not to exceed 15 gallons per piece of equipment.
- j. Use only U.L. listed, rotary type dispensing pumps, in transferring flammable liquids.
  - k. Clean up all spills and dispose of waste as prescribed.
  - 1. Do not tamper with portable fire extinguishers.
- m. Keep all potential ignition sources away from flammables and combustibles.
- 4-2. FIRE PROTECTION EQUIPMENT and SYSTEM
  - a. Command Center.
- 1. The Police Operations Command Center in conjunction with the Facilities Management Center shall serve as the Command Center for emergency operations and the Facilities Management Center maintains the Facilities Management System which has the following features:

- (a) Fire alarm initiating device zone locator.
- (b) Fire alarm initiating device description.
- (d) Recorder
- (d) Alarm transmitter.
- (e) Monitoring of fire suppression systems.
- (f) Supervises fire systems circuits.
- 2. The Police Operations Command Center maintains the ring down phone system to all emergency response forces.
- b. Communications. In the event of a fire, Police personnel and other responding personnel dispatched must be assigned a portable radio for communications back to the Police Operations Command Center who in turn will relay all information to the Facility Management Center. Other communications will be via internal telephone system.

EXCEPTION: Radios will not be used during a bomb threat or suspected bomb threat.

- c. Fire Alarm System. Upon activation of any initiation device the FMS transmits the following audio alarm signals:
  - 1. A ten-second alert tone to the entire building.
- 2. After the ten-second alert tone, transmit a prerecorded emergency announcement continuously until manually stopped. If the emergency message fails the alert tone will continue. Two messages will be transmitted:
- (a) Alarm zone Both strobe light and evacuation instructions are activated advising personnel of emergency condition and to evacuate via the nearest exit.
- (b) All other building areas No Strobe Light is activated and advises personnel to remain and await further instructions.

Additionally, the system may be interrupted with live emergency communications.

### 4-3. DUTIES and RESPONSIBILITIES

- a. The Deputy Associate Director (Operations), Fort Worth of the Western Currency Facility is responsible for overall policy and approval of an Emergency Contingency Plan for the protection of personnel, premises and property.
- b. Fire Marshall (Safety and Occupational Health Specialist). The Fire Marshalls duties are:

- 1. Ensure proper dissemination of the Emergency Contingency Plan.
- 2. Coordinate with Facilities Management, as necessary, for fire systems maintenance and improvements.
- 3. Ensure that the roster for organization personnel involved in emergency operations is maintained and posted.
- 4. Ensures that all necessary actions are taken to maintain safe and efficient operations in an emergency.
- 5. Ensures orderly movement of all personnel in the facility during the emergency.
  - 6. Maintains liaison with local authorities.
- 7. Insure that appropriate training courses are conducted, using local organizations as are available.
- 8. With the approval and cooperation of the Facilities Manager, coordinates and arranges for and directs civil defense, fire and evacuation drills.
- 9. Works closely with and cooperates with local and state civil defense personnel in matters pertaining to facility plans, organization and operation.
- 10. Plans personnel movement routes and establishes procedures.
- 11. Assures that all personnel responsible for occupant evacuation perform their duties and responsibilities.
- 12. Supervises and directs movement of personnel, during drills and actual emergencies, inside and outside of the building.
- 13. Reports to scene of emergency to assess situation and evaluate evacuation needs.
- c. Area Wardens. Under the direction of the Fire Marshall, the Area Wardens expedite the evacuation of personnel in their area. The Area Wardens duties include:
- 1. Assures that evacuation routes are identified, clear, posted and known by the regular occupants.
- 2. Directs the orderly flow of personnel along the prescribed routes.
- 3. Immediately establishes the alternate route if the normal route is blocked by the emergency.
- 4. Appoints a column leader to lead personnel along the evacuation route.

- 5. Assures the area has been evacuated prior to their departure.
- 6. Maintains a listing of handicapped personnel in their area. The list will include:
  - (a) Name
  - (b) Room number
- (c) Any evacuation device, assistance needed and the location of the device.
- 7. Reports to the Police Operations Command Center after evacuation and role has been taken. Reports include, area, number of personnel in area and number at role.
- d. Medical Representative. Serves as the coordinator for first-aid services. They are responsible for all personnel assigned to perform first-aid in an emergency and supervising those operations. Their duties include:
- 1. Selection of a first-aid or medical treatment staging area during an emergency that involves a number of injuries.
- 2. Directs first-aid operations and controls access to medical supplies, as required, to assure proper use, conservation and availability.
- 3. Maintains liaison with the local hospital to coordinate any emergency services required.
- e. Utilities Officer. Responsible for controlling building utilities other than production equipment, such as presses, coilers, computers, etc., during an emergency. Production equipment shall be controlled by the respective operators. The Utilities Officer performs the following duties:
- 1. Establishes a plan to attend utilities during an emergency. Identifying which utilities are necessary for operations and which should be secured from operations.
- 2. Dispatches individuals or teams, at the sound of emergency alarms, to prearranged control points to perform a preplanned or directed action.
  - f. WCF Police Unit. Their duties include:
- 1. Dispatch police response team to investigate reported emergency.
- 2. Ensure roster officials to be contacted in the event of an emergency are notified of the nature and location.
  - 3. Assign police officers to exterior exits to perform

the necessary security checks required in the event of evacuation.

- 4. In the event a total building evacuation becomes necessary, they shall man the Secondary Command Center, located in the Main Gate Office.
  - g. Police Response Member/Team. Their duties include:
    - 1. Investigate all alarms or reports.
    - 2. Report to Shift Commander findings.
    - Secure area and assist as necessary.

### 4-4. FIRE PROCEDURES

- a. Unconfirmed Fire. Upon seeing or smelling smoke from an unidentified source, the following actions shall be taken by an employee:
  - 1. Notify supervisor.
- 2. The supervisor or employee shall telephone the Command Center.
- 3. The Police Watch Commander will dispatch the Police Response Team to the area. They shall conduct a thorough and rapid search of the area and report via radio, the findings of the search.
- 4. The Police Watch Commander shall also ensure the personnel on the roster of officials to be contacted in the event of an <u>Unconfirmed</u> Emergency are contacted via the Police/Management intercom system immediately.
- 5. If the fire is confirmed, the actions outlined in 4.b., for a confirmed fire, shall be followed. If the fire is  $\underline{\text{NOT}}$  confirmed all personnel will assume their normal routine.

Upon receipt of an unconfirmed fire alarm signal from any other source the FMS/Police shall take the actions described in 4-4.a.(3) through (5) shall be followed.

- b. Confirmed Fire. Upon an employee discovering a fire and no alarm has been transmitted via the fire system the following actions shall be taken:
- 1. The supervisor or employee shall notify the Command Center.
- 2. The operator of any equipment affected shall, if safe to do so, shut it down.
- 3. Employees in the area may commence fire fighting actions using portable extinguishers, if properly trained in

their use and if the fire is in the beginning stages only.

- 4. The supervisor or employee shall pull a manual fire alarm station and telephone the Command Center.
  - 5. They shall provide the following information:
    - (a) Location of fire.
- (b) Type of fire; paper, flammable, electrical or burning metals.
  - (c) Extent of fire involvement
- 6. The Police Watch Commander will ensure that all personnel on the Roster of Officials to be contacted in the event of an emergency are notified. They should relay the same information to those personnel as received from the Police Response Team.
- 7. The Police Response Team and Fire Marshall shall determine if outside assistance is required and notify the Police Watch Commander.
- 8. If notified that outside assistance is required the Police Watch Commander or Officer-In-Charge shall activate the transmit signal to the Fort Worth Fire Department.
- c. When outside assistance is obtained the Police Watch Commander or Officer-In-Charge shall dispatch an officer to direct the Fire Department to the nearest point of entry to the fire.
- d. The Fire Marshal shall meet the Fire Department and provide the following:
  - 1. Exact location of fire.
  - 2. Type of fire.
  - 3. Extent of Building involvement.
- 4. Building is totally evacuated or location of personnel remaining and any unaccounted for personnel.

### 4-5. EVACUATION PLAN

- a. The Security Manager serves as the control point in the event an emergency results in the need for evacuation of personnel. Under his/her direction the Fire Marshal develops evacuation plans and implements these plans during the emergency with the assistance of the WCF Police Unit Personnel.
- b. When to Evacuate. The evacuation plan contained herein shall be implemented when a fire or other emergency is confirmed

and outside assistance is called to handle the emergency. At this time, it is probable that personnel directly in danger have already evacuated. The supervisor in the immediate area, or personnel working in the area, if no supervisor is present, shall evacuate the area affected, when it has been determined that the emergency is beyond control and the situation is life threatening. Chemical emergencies (release or spills) will be handled on a case by case basis. Evacuation for a chemical emergency will take place only when there is a threat to life due to its health, fire or reactivity hazard.

- c. Emergency Organization Response. The Emergency Organization Personnel shall respond when the fire alarm system has been activated or when otherwise notified. They shall assume their responsibilities as outline in this plan.
- d. Emergency Evacuation Route Diagrams. These are posted in various areas throughout the facility and show the location of primary and secondary exits from each area. Emergency gathering areas are identified in Appendix A of this plan.
  - e. Facility Evacuation Plan.
- (1) The extent of evacuation will depend on the location, extent and potential of the emergency.
- (2) Upon notification of the necessity for evacuation it is important that procedures be known in advance. Delays caused by unsurity could cause injury or death which might be avoided if personnel were prepared in advance.
- (3) The Fire Marshall under the direction of the General Manager will decide when evacuation orders will be given. The Area Wardens may decide to evacuate their area if the emergency is sufficient and no evacuation order has been given.
- (4) Each Area Warden will upon notification to evacuate instruct personnel to the nearest route. These routes will be in accordance with the posted routes.
- (5) Upon evacuation each Area Warden will report to the Police Operations Command Center that their area is clear, a roster has been taken and any deficiencies in the roster.
- (6) Prior to evacuation personnel shall take the following action whenever possible unless such action would endanger their lives:
- (a) Place exposed records in cabinets or desks drawers or place covers over the records to protect them against damage.
- (b) Place classified documents in safes and secure their location.
  - (c) Disconnect electrical equipment.

- (d) Shut down all equipment such as presses, computers, coilers, etc.
- (e) Close, but <u>DO NOT LOCK</u>, the door when the last person leaves the room.
- f. Evacuation of Handicapped Personnel. Handicapped personnel unable to evacuate without assistance will be escorted by one or more persons assigned to that duty in writing by the supervisor of the area.

### 4-6. TRAINING.

- a. General. A continuing program of training and education for all personnel is imperative to ensure maximum effectiveness. Personnel assigned duties and responsibilities require and shall receive specific training in the skills required to perform their duties, e.g., first-aid, firefighting, etc. The Safety and Occupational Health Office is responsible for identifying the needs and for bringing those needs to the attention of the proper agency official.
- b. Drills. Drills familiarize personnel with the actions required during an emergency. Evacuation drills will be conducted periodically under the direction of the Safety and Occupational Health Specialist. Drills maybe announced periodically and evacuation drill using alternate evacuation routes by simulating blocked normal exits will be conducted.
- 4-7. REPORTING PROCEDURES. All fires must be reported to the Safety and Occupational Health Office and the Police Operations Command Center.
- a. Police Services Section Fire Report. BEP Form 1241 will be completed by one of the Police Officers responding to the fire. A copy will be forwarded to the Safety and Occupational Health Office.
- b. Safety and Occupational Health Office Fire Report. Any fire resulting in personal injury, death, or property damage in excess of \$500.00 will be investigated. A report shall be prepared giving recommendations to prevent similar incidents. The report shall be distributed to the Supervisor of the Office that was involved and to the Deputy Associate Director (Operations), Western Currency Facility.

### CHAPTER 5

### CHEMICAL EMERGENCY RESPONSE

- 5-1. DUTIES and RESPONSIBILITIES.
- a. The Deputy Associate Director (Operations) is responsible for ensuring that facilities are maintained and operated to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste to air, soil, or surface water which could threaten human health or the environment.
  - b. Safety and Occupational Health Specialist.
- (1) Ensures that the basic provisions of this manual are disseminated to all person employed in the facility.
  - (2) Ensures that appropriate personnel are trained to provide technical guidance for safely dealing with chemical emergencies.
  - (3) Develops or provides an Emergency Spill Control Guide for dissemination to Chemical Emergency Response Team (CERT) members.
  - (4) Maintains liaison with state and local emergency response teams to plan for emergency services in the event of a chemical disaster.
  - (5) In the event of human health or environment threatening disasters within the Western Currency Facility, reports to the General Manager the potential extent of injuries and hazards to human health or the environment outside the facility.
  - (6) Assist the Chemical Emergency Coordinator (CEC) with the technical supervision of incidents involving releases of flammable hazardous materials.
  - (7) Serves as the Personnel Movement Officer in the event that evacuation is necessary.
  - (8) Serves as the assistant CEC, providing technical expertise in situations where chemical releases may have possible hazards to human health.
  - (9) Tests for airborne concentrations of the chemical contaminant.
  - (10) Recommends the appropriate personal protective equipment required for use by personnel during emergency response operations.

- (11) Provides chemical toxicity information to the Clinic when first-aid or emergency treatment of personnel is required.
- (12) Insures that any personnel exposures to hazardous substances in excess of Federal limits are documented.
  - c. Chemical Emergency Response Team (CERT).
- (1) Chemical Emergency Coordinator (CEC). A CEC will be available or on call twenty-four hours per day. The CEC will be appointed in writing and a listing will be distributed to holders of this manual. The responsibilities of the CEC are:
- (a) Reports to the site to assume technical supervision of the control and cleanup of the accidental spill or release of hazardous materials and to contact other members of the Spill Control Team as required.
- (b) Monitors and is familiar with all aspects of this Emergency Contingency Manual, all operations and activities of the facility, the location and characteristics of waste chemicals handled, and the facility layout.
  - (c) Maintains all records required by this manual.
- (d) During an actual emergency, the CEC should take all reasonable measures necessary to ensure that chemical releases do not spread or recur in other areas of the facility.
- (e) Immediately following the emergency, the CEC will provide for the treatment, storage and disposal of any recovered materials, including contaminated soil or surface water, and other waste materials generated from a fire, explosion or chemical release.
- (f) Ensures that all emergency equipment utilized during a chemical emergency is cleaned and restored to its original condition prior to the resumption of normal conditions. This will include replenishing any supplies that may have been used from the emergency "SPILL KARTS".
- (g) If any or all parts of this plan fail, the CEC should evaluate why the plan was ineffective, and provide a corrective written addendum to be a permanent part of the Emergency Contingency Manual.
- d. Medical Clinic Staff (MCS). The Medical Clinic Staff is responsible for training and equipping all personnel assigned to perform medical or first-aid services in an emergency, and for supervising emergency first-aid or medical self-help operations within the building during an emergency. MCS duties include:
- (1) Selects a first-aid or medical treatment staging area during an emergency that involves a number of injuries.

- (2) Directs first-aid operations and controls access to medical supplies, as required to assure their proper use, conservation, and availability for emergency use.
- (3) Ensures personal protective equipment is provided for Clinic Staff.
- (4) Maintains liaison with Forth Worth area hospital emergency rooms and ambulance/flight transportation to coordinate emergency services as required.
- e. Utilities Officer.) The Utilities Officer is responsible for controlling building utilities during an emergency. Production equipment such as presses, coilers, computers and other production equipment shall be controlled by the respective operators. The Utilities Officer serves as head of the utilities control group and performs the following duties:
- (1) Establishes a plan to attend mechanical devices; ventilation, water, gas, and steam valves; power switches; etc. during an emergency.
- (2) Dispatches individuals or teams, at the sound of emergency alarms, to prearranged control points for preplanned or directed action.
- directed action.

  Dulding Operation as Markenanc Control

  f. Utilities Control Team. Under the direction of the
  Utilities—Officer, the Utilities Control Team is responsible for
  controlling utilities during an emergency. During emergencies
  they report to the Utilities Officer in the predesignated
  location.
- g. Facilities Police. Police personnel maintain immediate security during the cleanup and maintain the communication link with the Command Center for coordination of outside emergency services as required.
- h. Contract Safety Specialist. During the evening and midnight shifts, or when a contract specialist is working, they will respond to the initial notification of a chemical release. If the release is of a minimal/no hazard chemical, as outlined in paragraph 3 of this section, the Safety Specialist will supervise the clean-up operation. If the release is of a higher magnitude, the Safety Specialist will notify the Command Center to implement this manual.
- i. Production Service Branch Foreman. Ensures that the clean-up crew is equipped with personal protective clothing, supplies and equipment necessary to confine and clean up the spill or other waste materials prior to the resumption of normal operation.

5-2. CHEMICAL SPILL/RELEASE EMERGENCY PROCEDURES and CLASSIFICATION of SPILLS.

### a. Classification of Spills/Releases

- (1) Non-emergency Spills/Releases. Any spill/release of a relatively small quantity, where the chemical poses minimal or no hazard to human health or the environment is considered to be a spill/release of the non-emergency type.
- (2) Emergency Spills/Releases. Any spill/release of major proportion, that is, a large volume (a 55 gallon drum or greater) or one involving a potentially life or environment threatening chemical reaction is considered to be an emergency spill/release.

### b. Reporting Procedures.

- (1) Employee's Responsibility.
- (a) Any employee who discovers or is involved in a spill of a chemical will immediately report the spill to the supervisor of the area in which the spill has occurred.
- (b) If there is no supervisor present or if the incident occurs in a public area, the employee will assume the supervisor's responsibility.
- (c) If a materials handling vehicle is involved, the employee will also immediately report to the Supply Section supervisor.
  - (2) Supervisor's Responsibility.
- (a) Upon receipt of a report of a chemical spill in his/her area, the supervisor will obtain the following information.
- 1. The amount of the spill, i.e., quart, 5 gallon pail, 55 gallon drum.
- 2. The name of the substance, if possible. This may be obtained, in some instances, from the container markings.
  - 3. The location of the spill.
- (b) After assessing the spill, the supervisor will decide if it is classified as an emergency or non-emergency spill, as identified previously. If the spill does not constitute an emergency, the supervisor shall contact the Chemical Emergency Response Team Coordinator to have the spill cleaned up in accordance with this manual.
  - (c) If the Supervisor assesses the spill as an

emergency, the Supervisor must contact the Safety Specialist on duty. If the Safety Specialist cannot be reached the supervisor shall contact the Police Operations Command Center and inform him/her of the details of the emergency and request they contact the officials on the Roster of Officials to Be Contacted in the Event of an Unconfirmed Emergency.

- (3) Safety and Occupational Health Specialist Responsibility: In the absence of the CEC, assumes the responsibilities of the CEC.
- (4) Police Operations Responsibility: Contact emergency notification roster officials as instructed by the CEC or the Safety and Occupational Health Specialist, as applicable.
- (5) Chemical Emergency Coordinator's (CEC) Responsibility:
- (a) Shall contact the Senior Police Watch Commander to have the clean up crew respond.
- (b) Assess the spill and notify the Police Operations Command Center to contact the appropriate officials on the appropriate roster.
  - c. Emergency Procedures.
  - (1) Whenever there is an imminent or actual emergency situation, the CEC must immediately:
  - (a) Activate internal communications systems, to notify all facility personnel;
  - (b) Notify the Police Operations Command Center to initiate emergency procedures; and
  - (c) Inform the Police Operations Command Center if appropriate state or local agencies with designated response roles must be called for assistance.
  - (2) Whenever there is a release, the CEC must immediately identify the character, source and amount of any released materials. He/she may do this by observation or review of facility records or manifests and, if necessary, by chemical analysis.
  - (3) Concurrently, the CEC must assess possible hazards to human health or the environment that may result from the release, fire, or explosion. This assessment must consider both direct and indirect effects of the release, fire, or explosion.
  - (4) If the CEC determines that the facility has had a release, fire, or explosion which could threaten human health, or the environment outside the facility, he/she must report the findings as follows:

- (a) If the findings indicate that evacuation of local areas may be advisable, immediately notify appropriate local authorities. Remain available to help appropriate officials decide whether local areas should be evacuated; and
- (b) Immediately notify the National Response Center using the 24-hour toll free number (800) 424-8802. The report must include:
  - (1) Name and telephone number of reporter;
  - (2) Name and address of facility;
  - (3) Time and type of incident (e.g., release, fire);
  - (4) Name and quantity of material involved, to the extent known;
  - (5) The extent of injuries, if any; and
  - (6) The possible hazards to human health or the environment outside the facility.
- (c) During an emergency, the CEC must take all reasonable measures necessary to ensure that fires, explosions, and releases do not occur, recur, or spread to other hazardous materials at the facility. These measures must include, where applicable, stopping processes and operations, collecting and containing released material and removing or isolating containers.
- (d) If the facility stops operations in response to a fire, explosion or release, the CEC must monitor for leaks, pressure buildup, gas generation, or ruptures in valves, pipes, or other equipment, wherever this is appropriate.
- (e) Immediately after an emergency, the emergency coordinator must provide for treating, storing, or disposing of recovered waste, contaminated soil or surface water, or any other material that results from a release, fire, or explosion at the facility.
- (f) The CEC must ensure that, in the affected area(s) of the Facility:
- (1) No waste that may be incompatible with the released material is treated, stored or disposed of until cleanup procedures are completed; and
- (2) All emergency equipment listed in the contingency manual is cleaned and fit for its intended use before operations are resumed.
  - (3) The CEC must notify the EPA Regional

Administrator and appropriate State and local authorities, that the facility is in compliance with the applicable sections of this manual before operations are resumed in the affected area(s) of the facility.

- (g) The CEC must note in the operating record the time, date, and details of any incident that requires implementing the contingency manual. Within 15 days after the incident, a written report on the incident must be submitted to the EPA Regional Administrator. The report must be recorded on Forms 2553 "Chemical Emergency Chronological Log" and 2554 "Spiller's, Report" and must include:
- (1) Name, address and telephone number of the Facility Manager;
- (2) Name, address and telephone number of the facility;
- (3) Date, time, and type of incident (e.g. fire, explosion);
  - (4) Name and quantity of material(s) involved;
  - (5) The extent of injuries, if any;
- (6) An assessment of actual or potential hazards to human health or the environment, where this is applicable; and
- (7) Estimated quantity and disposition of recovered material that resulted from the incident.
- (h) The CEC should ensure that the "Spiller's Report" is completed and included in the incident documents.
  - d. Non Emergency Procedures.
- 1. In the event of a spill of only slightly hazardous chemicals which occur while work is being performed (i.e. in production areas, laboratories, etc.) responsible individuals should attempt to minimize or control further spillage. This may be accomplished by:
- (a) Rotating a drum or container in such a way that it no longer leaks.
- (b) Placing a small bottle or container which is leaking or spilled in an upright position (or in a position that it no longer leaks), or, placing a small container in a plastic bag or secondary container.
- (c) An attempt should be made to limit the extent of the spill by using available spill control pillows to build a dike or wall. The CEC should be notified of the spill, and procedures taken to dispose of the clean up materials properly.

- 2. The recommended procedures for spill clean up are as indicated below:
- (a) Place the spill control pillows around the spill from the outer perimeter of the spill. As the spill is absorbed, move the pillows inward to collect the spill until it is totally absorbed by the spill control pillows.
- (b) If the chemical involved is a flammable liquid, keep any sources of ignition out of the immediate area.
- (c) After all clean up procedures are completed, all personal protective equipment must also be cleaned or disposed of as appropriate. Reusable equipment must be returned to the "Spill Kart". Return the "Spill Kart" to its designated location and commence replacement of materials used in the clean up.
- (d) All contaminated waste materials used to clean up the spill must be containerized, labeled and properly disposed of as hazardous waste.





# DEPARTMENT OF THE TREASURY

## BUREAU OF ENGRAVING AND PRINTING FORT WORTH, TEXAS 76131

January 22, 1998

Waste Evaluation Section/MC-129
Texas Natural Resources Conservation Commission
12100 Park 35 Circle
Austin, Texas 78753

The Bureau of Engraving and Printing's Annual Waste Summary for the Western Currency Facility at 9000 Blue Mound Road, Fort Worth, Texas is enclosed.

If you have any questions concerning these reports, please direct them to Colleen McKinney at (817),847-3820.

D. Leon Griffin, Manager Technical Support Division

TELEPHONE: (512) 239-6832 WASTE EVALUATION SECTION
MC128

Department of the Treasury 9000 Blue Mound Road Leon Griffin

Fort Worth, TX 76131-3304 817-847-3887

# **ANNUAL WASTE SUMMARY**

Your SOLID WASTE REGISTRATION NUMBER: FOR DATA YEAR: 1997

NO REPORT REQUIRED {See 30 TAC 335.9(a)(3); also see instructions }

38907

TX,1,2,0,0,9,3,9,6,2,1 G 1 Report for: 19 97 Your EPA ID#

YOUR WASTE GENERATION FEE IS CALCULATED FROM THIS REPORT. BE SURE THE INFORMATION IS CORRECT TO REPORT WASTEWATER. SEE INSTRICTION BOOKLET RG-151. SUPPLEMENTAL SUMMARY SUMMARY STATUS REVISED SUMMARY ORIGINAL SUMMARY

88 TT T	STINO 88 STILL TITL TITL TITL TITL TITL TITL TIT
TOTAL QUANTITY GENERATED  47	TOTAL QUANTITY GENERATED C. 47.
Waste oil from equipment maintenance in the printing pr   Tora	PPA HAZABDOUS   WASTE DESCRIPTION
TEXAS WASTE  WASTE NO.  OO 02 2 0 9 H,   D O 1   SYSTE NO.  SA  OUNTY HANDLED  UNITS TYPE CODE  TO 0 1   D O 1   D O 1    SS  SS  SS  SS  SS  SS  SS  SS  SS	TEXAS WASTE   EPA HAZARDOUS FOR HAZARDOUS EVA HAZARDOUS CODE   WASTE NO.   WASTE NO.   WASTE NO.   WASTE NO.   Statement of the code   Statement of

certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete.

Authorized Agent (PRINT NAME)

D. Leon Griffin

Preparer (PRINT NAME)

Colleen McKinney

1-15-98

MC 129 —
INDUSTRIAL AND HAZARDOUS WASTE DIVISION
INDUSTRIAL AND HAZARDOUS WASTE DIVISION
FICKS NATURAL RESOURCE CONSERVATION COMMISSION
FIC. BOX 13097
AUSTIN, TEXAS 78711-2067
TELEPHONI WASTE EVALUATION SECTION

Fort Worth, TX 76131-3304 817-847-3887 TELEPHONE: (512) 239-6832 Department of the Treasury 9000 Blue Mound Road Leon Griffin

	Your SOLID WASTE	REGISTRATION NUMBER:
	•	
ANNIIAI WASTE SIIMMARY		

FOR DATA YEAR: 1997

NO REPORT REQUIRED

(See 30 TAC 335.9(a)(3); also see instructions)

**ORIGINAL SUMMARY** 

38907

G 1 Report for: 19 97

FPA ID# T.X.1, 1, 2, 0, 09 3, 9, 6, 2, 1

SUPPLEMENTAL SUMMARY SUMMARY STATUS REVISED SUMMARY

YOUR WASTE GENERATION FEE IS CALCULATED FROM THIS REPORT. BE SURE THE INFORMATION IS CORRECT. TO REPORT WASTEWATER, SEE INSTRUCTION BOOKLET RG-151. ద జ 86.0.0 TOTAL QUANTITY GENERATED. Corrosive liquid from printing rinse collection pit in WASTE DESCRIPTION COMMENTS N 40 RECEIVER'S EPA ID# T N D 0 0 0 6 1 EPA HAZARDOUS WASTE NO. EPA HAZARDOUS WASTE NO. 0 0 0 4 FACILITY NUMBER 0 N EPA HAZARDOUS EPA HAZARDOUS WASTE NO. SYSTEM TYPE CODE M 1 2 4 6 67 D 0 0 2 UNITS D. 18 D188 99 0 Ö 4 2 0 QUANTITY HANDLED 4 TEXAS WASTE 4 0004110H

TOTAL QUANTITY GENERATED	0/19				_					
GENER	6 7				<u> </u>		<u> </u>			
XIII										
DUAN	H				<u> </u>					
TA T	H									
2		ř								
			$\vdash$							
	75									
	<u> </u>									
	#						,			
	E									
2	Ĕ.		$\square$							
IPTIO	2	:	$\vdash$							
ESCF	=									
WASTE DESCRIPTION	iş e	Ø								
¥	<u> </u>	COMMENTS		` .		,				
	雪	COM		_						_
	Studge from electroplating waste liquid treatment syste		<u></u>	##     ##		8		88		88
	ec.		2 1							
	Ę		m							
	¥	# Q	4							
	90	RECEIVER'S EPA ID#	N D O O O 61 4 3 2						-	
	ō	/ER'S	0							
Sous		ECEN	0 0	ŀ						-
HAZARDOUS ASTE NO.		Œ	Ω							ļ
EPA HA WAS	43		$\vdash$			_	-	_		
	······································	;	الشتيا	ا ؟		ا ۶		2 [	; ;	2
EPA HAZARDOUS WASTE NO.		>-~-	4 7		0 1		-	-	$\dashv$	
HAZA		FACILITY	0	l	0	ŀ				İ
EPA	8	泛	0	_	$\Box$	_ [		_ [	$\Box$	
Sg .	- ω		7	: L		F [		<u>ا</u> ۃ		٦
EPA HAZARDOUS WASTE NO.	0	FE		? [		٤ [		۶ [		₹
WAS		- B	Н		rI					
S.	 	SYSTEM TYPE CODE	1 1		1.4					
Š.	7	Z,Y	Σ	1	Σ	62	Σ	≩	2	ì
AZA	0	UNITS	Д, g	Г	<u> </u>	- آ ٿ		- ъ Г		
EPA HAZARDOUS WASTE NO.		. Sl	요 ;	, r		] g 7	<u> </u>	] & T		•
r			00	-		ŀ	$\dashv$	ŀ	-	
	_	QUANTITY HANDLED	თ		8	L				
TEXAS WASTE CODE	띪	HAN	5	F	$\Box$			F		
CAS W	3.1	FIT		$\parallel$	$\dashv$	-	$\dashv$	ŀ	$\dashv$	
Ē	0053,19H	QUA								-
	$\circ$			$\lfloor$ $\rfloor$	<u> </u>	$\frac{1}{2}$	.	.  -		
1 L	8	L		, L	1	àL	!	Ιń		, [

UNITS

면略

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete.

/ g % 181

Page 2 of 19

Authorized Agent (PRINT NAME)

D. Leon Griffin

Preparer (PRINT NAME)

Colleen McKinney

mattire of Authorized Agent

YOUR WASTE GENERATION FEE IS CALCULATED FROM THIS REPORT. BE SURE THE INFORMATION IS CORRECT TO REPORT WASTEWATER, SEE INSTRUCTION BOOKLET RG-151. UNITS ር ሜ SUPPLEMENTAL SUMMARY ට. ස<u>ි</u> Report for: 19 | 97 00 ဖ TOTAL QUANTITY GENERATED 0 **TOTAL QUANTITY GENERATED** 0 ص ص Page 3 of 19 Ø 50 ത് 2,0,0 <u>G</u> 1 TXI Your EPA ID # 38907 certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. Lab pack, Small containers of commercial chemicals from SUMMARY STATUS REGISTRATION NUMBER: **REVISED SUMMARY** Plating liquid waste from nickel and chrome plating of 36770 -15-98 Your SOLID WASTE WASTE DESCRIPTION WASTE DESCRIPTION {See 30 TAC 335.9(a)(3); also see instructions} **ANNUAL WASTE SUMMARY** COMMENTS COMMENTS 1997 NO REPORT REQUIRED 88 ORIGINAL SUMMARY FOR DATA YEAR: N N m ന 4 RECEIVER'S EPA ID# 4 RECEIVER'S EPA ID# T N D 0 0 06 1 T N D 0 0 0 6 1 EPA HAZARDOUS WASTE NO. EPA HAZARDOUS EPA HAZARDOUS WASTE NO. EPA HAZARDOUS WASTE NO. 7 4 00 FACILITY NUMBER FACILITY NUMBER 0 817-847-3887 TELEPHONE: (512) 239-6832 7 N EPA HAZARDOUS EPA HAZARDOUS WASTE NO. EPA HAZARDOUS WASTE NO. D 0 0 8 WASTE EVALUATION SECTION
MC 128
MC 12 SYSTEM TYPE CODE SYSTEM TYPE CODE m M 1 1 Authorized Agent (PRINT NAME) M Department of the Treasury EPA HAZARDOUS WASTE NO. Preparer (PRINT NAME) Fort Worth, TX 76131-3304 D 0 0 2 67 7 0 0 a UNITS UNITS Ωı വൃ 9000 Blue Mound Road Colleen McKinney 99 D. Leon Griffin 00 0 QUANTITY HANDLED QUANTITY HANDLED Ø 50 Leon Griffin TEXAS WASTE CODE HE008000 TEXAS WASTE 00091,19H <del>---</del>1

MC 129
INDUSTRAL AND HAZARDOUS WASTE DIVISION
TEXAS NATURAL RESOURCE CONSERVATION COMMISSION
P.O. BOX 13087
TELEPHON WASTE EVALUATION SECTION

Fort Worth, TX 76131-3304 817-847-3887 TELEPHONE: (512) 239-6832 Department of the Treasury 9000 Blue Mound Road Leon Griffin

_
>
$\propto$
$\geq$
-
2
M
<b>U</b> ,
Ш
-
ΟŢ
⋖
-
5
ᆜ
⋖
$\Box$
=
_
Z

Your SOLID WASTE 38907

G 1 Report for: 19 97

2

ശ

SUPPLEMENTAL SUMMARY FPA ID# T, X, 1, 2, 0, 09 3 9 SUMMARY STATUS **REVISED SUMMARY** {Seé 30 TAC 335.9(a)(3); also see instructions} FOR DATA YEAR: 1997 NO REPORT REQUIRED **ORIGINAL SUMMARY** 

YOUR WASTE GENERATION FEE IS CALCULATED FROM THIS REPORT. BE SURE THE INFORMATION IS CORRECT TO REPORT WASTEWATER, SEE INSTRUCTION BOOKLET RG-151. ហាន 5 TOTAL QUANTITY GENERATED 4 Spill cleanup of oils/solvents. Oils/solvents are used WASTE DESCRIPTION COMMENTS 3 2 T N D 0 0 6 1 4 RECEIVER'S EPA ID# EPA HAZARDOUS WASTE NO. EPA HAZARDOUS WASTE NO. 2 0 0 4 7 FACILITY NUMBER EPA HAZARDOUS EPA HAZARDOUS WASTE NO. SYSTEM TYPE CODE M 1 3 87 67 D 0 0 1 면 % Q ហ QUANTITY HANDLED 4 TEXAS WASTE 00,10301H

=	N CA	Ŗ		117		14		117		12
		•	-		<u> </u>		<u> </u>		<u> </u>	-
	O ATE								<u> </u>	1
	Y GENERATE		<u> </u>							1
		•	-						<u> </u>	-
	NANT								<u> </u>	
	TOTAL QUANTITY GENERATED					٠	·			
	Þ t	:								
			$\vdash$							
	٥									
	2		$\vdash$							
	nen				_					
		•					***			
	l BB		<u> </u>							
	NO S		$\vdash$	ŀ	-			-		
	I III									
	WASTE DESCRIPTION AMPS., SWITCHES			-		ı				
	T STE	ည		l		ŀ	$\neg$	l	-	
Ì	3 2	COMMENTS		ĺ		Ī		Ī		
	90	COM		8	$\dashv$	88	-	.	-	œ
ı	Waste mercury devices. Lamps, switches, instruments. To	,		° Ł		ا ⇔ ا		] & 1		88
	8		2 1		$\dashv$	ŀ	$\dashv$	ŀ		
	6		3							
	l l iii	RECEIVER'S EPA ID#	0061432	ļ		-				
	aste	ЕРА	9	-	$\dashv$	ŀ		}		
Ì	3	ER'S	0	ļ		[		Ţ		i
	§ .	ECEIN		$\mid$		ŀ		∦		
	ZARD TE NO	Œ	00	f	$\exists$	f		ŀ	$\neg$	
	EPA HAZARDOL WASTE NO.		Z H	F	$\Box$					
		Ļ	<u> </u>	: L		e L		٤L	i	٤
	EPA HAZARDOUS WASTE NO.		7		크					
	STE	FACILITY	0 4	ŀ	0	┝	$\dashv$	F		
	BAH B	NGN	0	F	$\exists$	<b> </b>	$\neg$	H	$\neg$	
		. [	Z			: [	7	: [		=
	EPA HAZARDOUS WASTE NO.	FEE	2	Γ	S	· [	ş	· [-	F	2
	HAZ/ ASTE	Г	0	Г		_	_	_		
	EPA ₩	CER		-	4	H	-	ŀ		
	8 G	SYSTEM TYPE CODE	<u></u>		<u> </u>					;
	EPA HAZAHDOUS WASTE NO.  D 0 0 9	Ŀ	≥]	L	≥_	L	≥	L	2	- 1
	WARAS O AREA	STIND	д; В		Ωt 8					;
	F DE	Γ	ा	Γ	<u>ा</u>	Γ	7	Γ	$\neg$	
		"L	n D		2					
	# <del>-</del>	QUANTITY HANDLED		$\vdash$	-	$\vdash$	_	-		
	TEXAS WASTE CODE 11309H	#   		-		$\vdash$	$\dashv$	-		
	EXAS 3	ANT								
	10	라	$\dashv$	$\vdash$	$\dashv$	-	$\dashv$	-	_	
	0 8	-			7			L		
										,

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. -15-98

Colleen McKinney
Preparer (PRINT NAME)

D. Leon Griffin

Authorized Agent (PRINT NAME)

UNITE YOUR WASTE GENERATION FEE IS CALCULATED FROM THIS REPORT. BE SURE THE INFORMATION IS CORRECT TO REPORT WASTEWATER, SEE INSTRUCTION BOOKLET RG-151. UNITS SUPPLEMENTAL SUMMARY 6,2,1 o, s G 1 Report for: 19 97 1000 TOTAL QUANTITY GENERATED *FOTAL QUANTITY GENERATED* FPA ID# T, X, 1, 2, 0, 0, 9, 3, 9, Page 5 of 19 38907 certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on my inquiry of those individuals immediately responsible for obtaining the Information, I believe that the submitted information is true, accurate, and complete. Waste carbon cartridges enclosed in metal casings. Moun-Your SOLID WASTE
REGISTRATION NUMBER: **SUMMARY STATUS REVISED SUMMARY** Depleted nickel baths from the electroplating area. Haz メケーストー 36-51-WASTE DESCRIPTION WASTE DESCRIPTION {See 30 TAC 335.9(a)(3); also see instructions} **ANNUAL WASTE SUMMARY** COMMENTS COMMENTS 1997 NO REPORT REQUIRED ORIGINAL SUMMARY FOR DATA YEAR: 7 RECEIVER'S EPA ID# 4 RECEIVER'S EPA ID# 0 6 1 T N D 0 0 0 EPA HAZARDOUS WASTE NO. EPA HAZARDOUS EPA HAZARDOUS WASTE NO. WASTE NO. EPA HAZARDOUS WASTE NO. 7 0 0 FACILITY FACILITY Fort Worth, TX 76131-3304 817-847-3887 TELEPHONE: (512) 239-6832 N EPA HAZARDOUS WASTE NO. EPA HAZARDOUS EPA HAZARDOUS WASTE NO. WASTE NO. WASTE EVALUATION SECTION
MC12N
MDUSTRIAL AND HAZARDOUS WASTE DIVISION
TEKAS NATURAL RESOURCE CONSERVATION COMMISSION
P.O. BOX 13087
TEKAS 18711-3087
TEKAS T8711-3087 M 0 4 9 SYSTEM TYPE CODE SYSTEM TYPE CODE Authorized Agent (PRINT NAME) EPA HAZARDOUS WASTE NO. Department of the Treasury Colleen McKinney D001 UNITS UNITS 9000 Blue Mound Road Leon Griffin 000 QUANTITY HANDLED QUANTITY HANDLED -0012-103H<sub>-</sub>-Leon Griffin TEXAS WASTE TEXAS WASTE CODE 00,133,101 <u>п</u>

YOUR WASTE GENERATION FEE IS CALCULATED FROM THIS REPORT. BE SURE THE INFORMATION IS CORRECT. TO REPORT WASTEWATER, SEE INSTRUCTION BOOKLET RG-151. UNITS UNITS SUPPLEMENTAL SUMMARY 2,1 Report for: 19 97 TOTAL QUANTITY GENERATED Ø TOTAL QUANTITY GENERATED o) Page C of 19 ტ ტ 0 Ŋ <u>..</u> T X 1 Your EPA ID# 38907 certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. SUMMARY STATUS Waste hydrochloric acid from the chemical cleaning of p. Your SOLID WASTE REGISTRATION NUMBER: REVISED SUMMARY Debris - rags, absorbents, spill pigs, sponges, pads fr 6-51-WASTE DESCRIPTION WASTE DESCRIPTION (See 30 TAC 335.9(a)(3); also see instructions } **ANNUAL WASTE SUMMARY** COMMENTS COMMENTS 1997 NO REPORT REQUIRED ORIGINAL SUMMARY FOR DATA YEAR: RECEIVER'S EPA ID# RECEIVER'S EPA ID# EPA HAZARDOUS EPA HAZARDOUS WASTE NO. EPA HAZARDOUS WASTE NO. EPA HAZARDOUS EPA HAZARDOUS EPA HAZARDOUS WASTE NO. WASTE NO. FACILITY NUMBER FACILITY 817-847-3887 TELEPHONE: (512) 239-6832 EPA HAZARDOUS EPA HAZARDOUS WASTE NO. WASTE NO. 끮 MC 129
INDUSTRIAL AND HAZARDOUS WASTE DIVISION
TEXAS NATURAL RESOURCE CONSERVATION COMMISSION
P.O. BOX 13087
AUSTIN, TEXAS 78711-3087
TELEPHONE SYSTEM TYPE CODE SYSTEM LYPE CODE Authorized Agent (PRINT NAME) Department of the Treasury Colleen McKinney
Preparer (PRINT NAME). Fort Worth, TX 76131-3304 6 67 6 ò UNITS 9000 Blue Mound Road Leon Griffin WASTE EVALUATION SECTION QUANTITY HANDLED -00,163,10,1 QUANTITY HANDLED -0017104H Leon Griffin TEXAS WASTE TEXAS WASTE D.

YOUR WASTE GENERATION FEE IS CALCULATED FROM THIS REPORT. BE SURE THE INFORMATION IS CORRECT. TO REPORT WASTEWATER, SEE INSTRUCTION BOOKLET RG-151. SUPPLEMENTAL SUMMARY <u>다</u> 않 FPA ID# T, X, 1, 2,0,0,9,3,9,6,2,1 G 1 Report for: 19 97 0 **TOTAL QUANTITY GENERATED** TOTAL QUANTITY GENERATED 8 Your SOLID WASTE 38907, REGISTRATION NUMBER: certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. SUMMARY STATUS Drained oil filters from equipment and vessel maintenan REVISED SUMMARY Waste nickel solids. Nickel plated printing plates are 26-51-WASTE DESCRIPTION WASTE DESCRIPTION {See 30 TAC 335.9(a)(3); also see instructions} **ANNUAL WASTE SUMMARY** COMMENTS COMMENTS 1997 NO REPORT REQUIRED **ORIGINAL SUMMARY** FOR DATA YEAR: 0 ന マ RECEIVER'S EPA ID# RECEIVER'S EPA ID# N D 0 0 0 6 1 EPA HAZARDOUS EPA HAZARDOUS WASTE NO. WASTE NO. EPA HAZARDOUS EPA HAZARDOUS WASTE NO. EH <u>-</u> 4 FACILITY NUMBER FACILITY NUMBER 0 817-847-3887 TELEPHONE: (512) 239-6832 EPA HAZARDOUS EPA HAZARDOUS WASTE NO. WASTE NO. EPA HAZARDOUS EPA HAZARDOUS WASTE NO. WASTE NO. WASTE EVALUATION SECTION
MC128
SYSTEM TYPE CODE 3 SYSTEM TYPE CODE Authorized Agent (PRINT NAME) Preparer (PRINT NAME) Department of the Treasury Fort Worth, TX 76131-3304 67 67 67 2 UNITS Ωį 9000 Blue Mound Road Colleen McKinney 8 D. Leon Griffin 8 0 0 **QUANTITY HANDLED** QUANTITY HANDLED Leon Griffin TEXAS WASTE -0014307.1-TEXAS WASTE 00,153,10,1

YOUR WASTE GENERATION FEE IS CALCULATED FROM THIS REPORT. BE SURE THE INFORMATION IS CORRECT. TO REPORT WASTEWATER, SEE INSTRUCTION BOOKLET RG-151. FPA ID# TX, 1, 2, 0, 0, 9 REGISTRATION NUMBER: 38907 De-chrome waste from the stripping of chromium from pri-SUMMARY STATUS Waste printing rinse from bottom of waste treatment tan **REVISED SUMMARY** Your SOLID WASTE WASTE DESCRIPTION WASTE DESCRIPTION (See 30 TAC 335.9(a)(3); also see instructions } ANNUAL WASTE SUMMARY COMMENTS COMMENTS 1997 NO REPORT REQUIRED **ORIGINAL SUMMARY** FOR DATA YEAR: 2 1 7 ന 43 TND 00 0614 RECEIVER'S EPA ID# RECEIVER'S EPA ID# T N D 00 0 6 1 EPA HAZARDOUS WASTE NO. EPA HAZARDOUS EPA HAZARDOUS WASTE NO. WASTE NO. EPA HAZARDOUS WASTE NO. 7 47 FACILITY NUMBER FACILITY NUMBER 0 0 Fort Worth, TX 76131-3304 817-847-3887 TELEPHONE: (512) 239-6832 ਰ N 2 EPA HAZARDOUS EPA HAZARDOUS WASTE NO. WASTE NO. EPA HAZARDOUS EPA HAZARDOUS WASTE NO. WASTE NO. 2 0 0 INDUSTRIAL AND HAZARDOUS WASTE DIVISION TEKAS NATURAL RESOURCE CONSERVATION COMMISSION \$-0. HOX 13087 AUSTIN, TEXAS 78711-3087 SYSTEM TYPE CODE  $|M|_1|_2|_1$ SYSTEM TYPE CODE Department of the Treasury D 0 0 2 6 | L | O | O | O Ξ SLING <u>ы</u> 8 9000 Blue Mound Road 겁 0 2 O WASTE EVALUATION SECTION 0 QUANTITY HANDLED QUANTITY HANDLED 0 ന Leon Griffin TEXAS WASTE CODE TEXAS WASTE 00,181,10H 00,191,19H

SUPPLEMENTAL SUMMARY

6,2,1

<u>ნ</u>

Report for: 19 97

<u>U</u>

D. 88 UNITS 다 않 о О FOTAL QUANTITY GENERATED 0 TOTAL QUANTITY GENERATED 0 ന 0 I certify under penalty of law that I have personally examined and am familiar with the Information submitted in this and all attached documents and that based on my inquiry of those Individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete.

101\_10. Page 8

1-15-98

Authorized Agent (DDINET MARKE)

Leon Griffin

Ġ

Colleen McKinney
Preparer (PRINT NAME)

YOUR WASTE GENERATION FEE IS CALCULATED FROM THIS REPORT. BE SURE THE INFORMATION IS CORRECT. TO REPORT WASTEWATER, SEE INSTRUCTION BOOKLET RC-151. Depleted chromic acid bath from chromium plating of cur-Your SOLID WASTE REGISTRATION NUMBER: SUMMARY STATUS Untreated printing rinse disposed in tankwagons during REVISED SUMMARY WASTE DESCRIPTION WASTE DESCRIPTION {See 30 TAC 335.9(a)(3); also see instructions} ANNUAL WASTE SUMMARY COMMENTS COMMENTS FOR DATA YEAR!' 1997 NO REPORT REQUIRED **ORIGINAL SUMMARY** T N DOOO 6 1 432 RECEIVER'S EPA ID# RECEIVER'S EPA ID# EPA HAZARDOUS EPA HAZARDOUS WASTE NO. EPA HAZARDOUS EPA HAZARDOUS WASTE NO. 8 C C C 2 0 0 4 7 FACILITY NUMBER FACILITY NUMBER Fort Worth, TX 76131-3304 817-847-3887 TELEPHONE: (512) 239-6832 EPA HAZARDOUS WASTE NO. EPA HAZARDOUS EPA HAZARDOUS WASTE NO. WASTE NO. D 0 0 2 MC 129
NUDSTRIAL AND HAZARDOUS WASTE DIVISION
TEXAS NATURAL RESOURCE CONSERVATION COMMISSION
P.O. BOX 13087
AUSTIN, TEXAS 78711-3087
TELEPHONI SYSTEM TYPE CODE SYSTEM TYPE CODE EPA HAZARDOUS WASTE NO. Department of the Treasury 000 67 6 UNITS വൃ 9000 Blue Mound Road  $\circ$ 0 WASTE EVALUATION SECTION QUANTITY HANDLED ω QUANTITY HANDLED -0024440H-Leon Griffin 7 TEXAS WASTE TEXAS WASTE 0020103H

**TOTAL QUANTITY GENERATED** 

O. 8

0

1 8

*FOTAL QUANTITY GENERATED* 

SUPPLEMENTAL SUMMARY

FPA 1D# TX 1, 2, 0, 0, 9, 3,9,6,2,1

G 1 Report for: 19 97

38907

certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on my inquiry of those Individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete.

Authorized Agent (PRINT NAME)

Leon Griffin

d.

Preparer (PRINT NAME)

Colleen McKinney

0	T age.		
8	te e	2	:.

1-18-9 Pag

o J

YOUR WASTE GENERATION FEE IS CALCULATED FROM THIS REPORT. BE SURE THE INFORMATION IS CORRECT TO REPORT WASTEWATER, SEE INSTRUCTION BOOKLET RG-151. UNITS SUPPLEMENTAL SUMMARY 닮 ា ន Report for: 19 97 FPA 10# T X 11 2 ,0 ,0 ,9 3 ,9 6,2 9 5 0 Ö TOTAL QUANTITY GENERATED **FOTAL QUANTITY GENERATED** 4 Page 10 of 19 g <u>G</u> 1 38907 certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. SUMMARY STATUS Your SOLID WASTE REGISTRATION NUMBER: REVISED SUMMARY Depleted wet lead acid batteries from plant use. Hazard Depleted dry alkaline batteries from plant use. Non haz 76-51-WASTE DESCRIPTION WASTE DESCRIPTION (See 30 TAC 335.9(a)(3); also see instructions} **ANNUAL WASTE SUMMARY** COMMENTS COMMENTS 1997 NO REPORT REQUIRED ORIGINAL SUMMARY FOR DATA YEAR; N 32 m D 0000614 RECEIVER'S EPA ID# 4 RECEIVER'S EPA ID# D 000 0 611 EPA HAZARDOUS WASTE NO. EPA HAZARDOUS EPA HAZARDOUS WASTE NO. WASTE NO. × Z H z EHILE EPA HAZARDOUS WASTE NO. 0 1 004 FACILITY NUMBER 4 FACILITY NUMBER ō 0 817-847-3887 Ö TELEPHONE: (512) 239-6832 N EPA HAZARDOUS WASTE NO. 0 EPA HAZARDOUS EPA HAZARDOUS WASTE NO. WASTE NO. D 0 0 8 빒 WASTE EVALUATION SECTION
MC191
MD01STRIAL AND HAZARDOUS WASTE DIVISION
TEKAS NATURAL RESOURCE CONSERVATION COMMISSION
AUSTIN, TEXAS 78711-3087
TELEPHONE SYSTEM TYPE CODE SYSTEM TYPE CODE M 1 2 4, EPA HAZARDOUS WASTE NO. T Z Department of the Treasury Н Fort Worth, TX 76131-3304 Preparer (PRINT NAME) 67 D 0 0 2 8 6 Ξ UNITS UNITS 겁 Colleen McKinney 9000 Blue Mound Road о П Griffin 89 O 0 0 O ın 4 QUANTITY HANDLED Ö ന **QUANTITY HANDLED** ഗ Leon Griffin TEXAS WASTE Leon 0022309H TEXAS WASTE CODE 00233091 ď

Authorized Agent (PRINT NAME)

YOUR WASTE GENERATION FEE IS CALCULATED FROM THIS REPORT. BE SURE THE INFORMATION IS CORRECT TO REPORT WASTEWATER, SEE INSTRUCTION BOOKLET RG-151. UNITS SUPPLEMENTAL SUMMARY EPA ID# T,X,1,2,0,0,9,3,9,6,2,1 G 1 Report for: 19 97 TOTAL QUANTITY GENERATED *TOTAL QUANTITY GENERATED* Page\_// of /9 38907 I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. Depleted mercury containing batteries from plant use. H **SUMMARY STATUS** Depleted nickel-cadmium batteries from plant use, Hazar Your SOLID WASTE REGISTRATION NUMBER: REVISED SUMMARY ーム人一名 -15-98 WASTE DESCRIPTION WASTE DESCRIPTION {See 30 TAC 335.9(a)(3); also see instructions} COMMENTS COMMENTS FOR DATA YEAR: 1997 NO REPORT REQUIRED **ORIGINAL SUMMARY** RECEIVER'S EPA ID# RECEIVER'S EPA ID# EPA HAZARDOUS WASTE NO. EPA HAZARDOUS WASTE NO. EPA HAZARDOUS WASTE NO. EPA HAZARDOUS WASTE NO. FACIL/TY NUMBER FACILITY Fort Worth, TX 76131-3304 817-847-3887 TELEPHONE: (512) 239-6832 EPA HAZARDOUS EPA HAZARDOUS WASTE NO. EPA HAZARDOUS EPA HAZARDOUS WASTE NO. WASTE NO. MC 129 INDDIALL AND HAZARDOUS WASTE DIVISION TEKAS NATURAL RESOURCE CONSERVATION COMMISSION P.O. BOX 13087 AUSTIN, TEXAS 78711-3087 SYSTEM TYPE CODE SYSTEM FYPE CODE Authorized Agent (PRINT NAME) Preparer (PRINT NAME) Department of the Treasury 67 6 UNITS Colleen McKinney 9000 Blue Mound Road 99 Leon Griffin QUANTITY HANDLED QUANTITY HANDLED Leon Griffin TEXAS WASTE -0025309H--0024309H TEXAS WASTE Ö.

**ANNUAL WASTE SUMMARY** 

WASTE EVALUATION SECTION

TELEPHONE: (512) 239-6832 MDOSTRIAL AND HAZARDOUS WASTE DIVISION TEXAS NATURAL RESOURCE CONSERVATION COMMISSION P.O. BOX 13087 AUSTIN, TEXAS 78711-3087 WASTE EVALUATION SECTION

817-847-3887 Fort Worth, TX 76131-3304 Department of the Treasury 9000 Blue Mound Road Leon Griffin

-
•
$\sim$
$\blacksquare$
4
$\geq$
$\geq$
2
_
$\overline{\mathbf{x}}$
(J)
46.4
Ш
<b>—</b>
'n
~
ч.
2
_
◂
=
_
7
_
q.

Your SOLID WASTE REGISTRATION NUMBER:

FOR DATA YEAR: 1997 NO REPORT REQUIRED

{See 30 TAC 335.9(a)(3); also see instructions}

K

38907

<u>ප</u>

Report for: 19 | 97

EPA ID# T. X, 1, 2, 0, 0, 9, 3, 9, 6, 2, 1

YOUR WASTE GENERATION FEE IS CALCULATED FROM THIS REPORT. BE SURE THE INFORMATION IS CORRECT. TO REPORT WASTEWATER, SEE INSTRUCTION BOOKLET RG-151. SUPPLEMENTAL SUMMARY SUMMARY STATUS REVISED SUMMARY **ORIGINAL SUMMARY** 

×

CNITS UNITS FOTAL QUANTIFY GENERATED **FOTAL QUANTITY GENERATED** Depleted and drained lead acid batteries from plant use Spill cleanup from sulfuric acid spills from battery ch WASTE DESCRIPTION WASTE DESCRIPTION COMMENTS COMMENTS RECEIVER'S EPA ID# RECEIVER'S EPA ID# EPA HAZARDOUS WASTE NO. EPA HAZARDOUS EPA HAZARDOUS WASTE NO. WASTE NO. EPA HAZARDOUS WASTE NO. FACILITY NUMBER FACILITY NUMBER EPA HAZARDOUS EPA HAZARDOUS WASTE NO. EPA HAZARDOUS EPA HAZARDOUS WASTE NO. WASTE NO. SYSTEM FYPE CODE SYSTEM TYPE CODE 67 6 67 UNITS UNITS QUANTITY HANDLED **QUANTITY HANDLED** -0026309H-TEXAS WASTE TEXAS WASTE -0027309H-

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on my inquiry of those Individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete.

eγ	(PRINT NAME)
McKinney	Preparer,
Colleen	

Leon Griffin <u>.</u> Authorized Agent (PRINT NAME)

-15-98

inature of Authorized Agent

Page 12. of 19

YOUR WASTE GENERATION FEE IS CALCULATED FROM THIS REPORT. BE SURE THE INFORMATION IS CORRECT. TO REPORT WASTEWATER, SEE INSTRUCTION BOOKLET RG-151. UNITS SUPPLEMENTAL SUMMARY FPA ID# T, X, 1, 2, 0, 0, 9, 3, 9, 6, 1, 2 28 G 1 Report for: 19 97 TOTAL QUANTITY GENERATED *TOTAL QUANTITY GENERATED* Page 13 of PEGISTRATION NUMBER: 38907 certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. SUMMARY STATUS Spent resin from plant equipment, Non-hazardous; 1992 Replacement of ethylene glycol based antifreeze in proc **REVISED SUMMARY** 1-15-98 WASTE DESCRIPTION WASTE DESCRIPTION (See 30 TAC 335.9(a)(3); also see instructions } COMMENTS COMMENTS FOR DATA YEAR: 1997 NO REPORT REQUIRED **ORIGINAL SUMMARY** RECEIVER'S EPA ID# RECEIVER'S EPA ID# EPA HAZARDOUS EPA HAZARDOUS WASTE NO. EPA HAZARDOUS EPA HAZARDOUS WASTE NO. FACILITY NUMBER FACILITY Fort Worth, TX 76131-3304 817-847-3887 TELEPHONE: (512) 239-6832 EPA HAZARDOUS EPA HAZARDOUS WASTE NO. EPA HAZARDOUS EPA HAZARDOUS WASTE NO. WASTE NO. WASTE EVALUATION SECTION
MC 128
MC 12 SYSTEM TYPE CODE SYSTEM TYPE CODE Authorized Agent (PRINT NAME) Department of the Treasury Preparer (PRINT NAME) 87 SIINO UNITS 9000 Blue Mound Road Colleen McKinney leon Griffin QUANTITY HANDLED **QUANTITY HANDLED** Leon Griffin TEXAS WASTE -00283101-TEXAS WASTE -1-9626264-₫

**ANNUAL WASTE SUMMARY** 

YOUR WASTE GENERATION FEE IS CALCULATED FROM THIS REPORT. BE SURE THE INFORMATION IS CORRECT. TO REPORT WASTEWATER, SEE INSTRUCTION BOOKLET RC-151. FPA ID# T.X, J, 2, 0, 09, 3, 9,6,2,1 38907, Anodes from electroplating bath lead/antimony waste sol. Your SOLID WASTE REGISTRATION NUMBER: **SUMMARY STATUS** REVISED SUMMARY Spent adsorbents - socks, solids, rags, debris from pro-WASTE DESCRIPTION WASTE DESCRIPTION (See 30 TAC 335.9(a)(3); also see Instructions } **ANNUAL WASTE SUMMARY** COMMENTS COMMENTS FOR DATA YEAR: 1997 NO REPORT REQUIRED ORIGINAL SUMMARY 321 T N D 0 0 0 6 1 4 RECEIVER'S EPA ID# RECEIVER'S EPA ID# EPA HAZARDOUS WASTE NO. EPA HAZARDOUS EPA HAZARDOUS EPA HAZARDOUS EPA HAZARDOUS WASTE NO. WASTE NO. WASTE NO. S EPA HAZARDOUS WASTE NO. 0 0 4 7 D 0 0 2 FACILITY 0 FACILITY NUMBER 0 817-847-3887 TELEPHONE: (512) 239-6832 EPA HAZARDOUS EPA HAZARDOUS WASTE NO. N D 0 0 1 INDUSTRIAL AND HAZARDOUS WASTE DIVISION TEKAS NATURAL RESOURCE CONSERVATION COMMISSION P.O. BOY 1308T AUSTIN, TEXAS 78711-3087 SYSTEM TYPE CODE SYSTEM TYPE CODE M 1 3 2 M 1 4 Fort Worth, TX 76131-3304 Department of the Treasury ò 67 000 Ξ UNITS Ω, 9000 Blue Mound Road Сī 0 S WASTE EVALUATION SECTION 0 1 39 2 QUANTITY HANDLED QUANTITY HANDLED 3 Leon Griffin TEXAS WASTE TEXAS WASTE -0030307H 00,313,10H 7-4

U1 88

N N <u>ഗ</u>

**COTAL QUANTITY GENERATED** 

UNITS

*FOTAL QUANTITY GENERATED* 

SUPPLEMENTAL SUMMARY

G 1 Report for: 19 97

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. Colleen McKinney
Preparer (PRINT NAME)

, o	
14	
Page	

16-77

orized Agent

Authorized Agent (PRINT NAME)

D. Leon Griffin

1-15-98

0

UNITS YOUR WASTE GENERATION FEE IS CALCULATED FROM THIS REPORT. BE SURE THE INFORMATION IS CORRECT TO REPORT WASTEWATER, SEE INSTRUCTION BOOKLET RG-151. UNITS SUPPLEMENTAL SUMMARY G 1 Report for: 19 97 ๙ T X 1 2 00 9 3 9 6 TOTAL QUANTITY GENERATED TOTAL QUANTITY GENERATED 38907 Your EPA ID# certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. SUMMARY STATUS Your SOLID WASTE REGISTRATION NUMBER: REVISED SUMMARY Maste spent carbon from liquid effluent polishing opera -15-98 "RCRA" empty steel/plastic containers for disposal. WASTE DESCRIPTION WASTE DESCRIPTION {See 30 TAC 335.9(a)(3); also see instructions} **ANNUAL WASTE SUMMARY** COMMENTS COMMENTS 1997 NO REPORT REQUIRED 88 **ORIGINAL SUMMARY** FOR DATA YEAR: RECEIVER'S EPA ID# RECEIVER'S EPA ID# EPA HAZARDOUS WASTE NO. EPA HAZARDOUS EPA HAZARDOUS WASTE NO. EPA HAZARDOUS WASTE NO. FACILITY FACILITY Fort Worth, TX 76131-3304 817-847-3887 TELEPHONE: (512) 239-6832 EPA HAZARDOUS EPA HAZARDOUS WASTE NO. EPA HAZARDOUS EPA HAZARDOUS WASTE NO. INDUSTRIAL AND HAZARDOUS WASTE DIVISION TEKAS NATURAL RESOURCE CONSERVATION COMMISSION FO. BOX 13087 AUSTIN, TEXAS 78711-3987 SYSTEM TYPE CODE SYSTEM TYPE CODE Authorized Agent (PRINT NAME) Department of the Treasury Preparer (PRINT NAME) 6 6 67 Colleen McKinney 9000 Blue Mound Road Leon Griffin QUANTITY HANDLED **QUANTITY HANDLED** Lean Griffin TEXAS WASTE -00323081-0033404H-TEXAS WASTE o.

WASTE EVALUATION SECTION AC 129

YOUR WASTE GENERATION FEE IS CALCULATED FROM THIS REPORT. BE SURE THE INFORMATION IS CORRECT. TO REPORT WASTEWATER, SEE INSTRUCTION BOOKLET RG-151. SUPPLEMENTAL SUMMARY UNITS 다 않 9,3,9,6,2,1 Report for: 19 97 Ó TOTAL QUANTITY GENERATED **TOTAL QUANTITY GENERATED** ហ Page 16. of 19 σ Your T, X, 1, 2, 0, 0, Ö 38907 I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. Maste crushed fluorescent bulbs - mercury containing de SUMMARY STATUS Discarded commercial chemical containing, 1-1-1 trichio REGISTRATION NUMBER: **REVISED SUMMARY** 115-20 -91 75-51-1 Your SOLID WASTE WASTE DESCRIPTION WASTE DESCRIPTION (See 30 TAC 335.9(a)(3); also see instructions } **ANNUAL WASTE SUMMARY** COMMENTS COMMENTS 1997 NO REPORT REQUIRED ORIGINAL SUMMARY FOR DATA YEAR: N ო 4 RECEIVER'S EPA ID# RECEIVER'S EPA ID# 061 000 EPA HAZARDOUS WASTE NO. EPA HAZARDOUS WASTE NO. z H EPA HAZARDOUS WASTE NO. EPA HAZARDOUS WASTE NO. FACILITY NUMBER 4 0 FACE, ITY NUMBER 0 0 817-847-3887 TELEPHONE: (512) 239-6832 0 N EPA HAZARDOUS WASTE NO. EPA HAZARDOUS EPA HAZARDOUS WASTE NO. WASTE NO. MC 129
INDUSTRIAL AND HAZARDOUS WASTE DIVISION
FEXAS MATURAL RESOURCE CONSERVATION COMMISSION
P.O. BOX 13087
AUSTIN, TEXAS 78711-3087
TELEPHONE SYSTEM TYPE CODE SYSTEM TYPE CODE M1 4 Authorized Agent (PRINT NAME) 0 EPA HAZARDOUS WASTE NO. Department of the Treasury Preparer (PRINT NAME) Fort Worth, TX 76131-3304 87 D 0 0 67 67 SLIND UNITS 9000 Blue Mound Road ρį <u>교</u> 물 Colleen McKinney Leon Griffin Õ 00 **WASTE EVALUATION SECTION** S **QUANTITY HANDLED** QUANTITY HANDLED ന Ó Leon Griffin TEXAS WASTE -0034004H-TEXAS WASTE CODE 00,37,388H j.

YOUR WASTE GENERATION FEE IS CALCULATED FROM THIS REPORT. BE SURE THE INFORMATION IS CORRECT TO REPORT WASTEWATER, SEE INSTRUCTION BOOKLET RG-151. UNITS SUPPLEMENTAL SUMMARY 92 Report for: 19 97 ď ص ٔ **FOTAL QUANTITY GENERATED** *TOTAL QUANTITY GENERATED* Q Page 17 of 19 (S) T,X,1,2,0,0 ப ப Your EPA ID # 38907 certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. SUMMARY STATUS Your SOLID WASTE REGISTRATION NUMBER: REVISED SUMMARY 10% Suffuric acid cleancut of electropiating vent scrub 18-51-WASTE DESCRIPTION WASTE DESCRIPTION (See 30 TAC 335.9(a)(3); also see instructions } Lead, solid lead waste, lead solder COMMENTS COMMENTS FOR DATA VEAR: 1997 NO REPORT REQUIRED ORIGINAL SUMMARY Authorized Agent RECEIVER'S EPA ID# RECEIVER'S EPA ID# EPA HAZARDOUS WASTE NO. EPA HAZARDOÙS EPA HAZARDOÙS EPA HAZARDOÙS EPA HAZARDOÙS WASTE NO. WASTE NO. WASTE NO. × EPA HAZARDOUS WASTE NO. FACILITY FACILITY NUMBER 817-847-3887 TELEPHONE: (512) 239-6832 EPA HAZARDOUS EPA HAZARDOUS WASTE NO. WASTE NO. MC 129
INDUSTRIAL AND HAZARDOUS WASTE DIVISION
TEXAS NATURAL HESOURCE CONSERVATION COMMISSION
P.O. BOX 13087
AUSTIN, TEXAS 78711-3087
TELEPHONE SYSTEM TYPE CODE SYSTEM TYPE CODE Authorized Agent (PRINT NAME) Department of the Treasury Preparer. (PRINT NAME) Fort Worth, TX 76131-3304 8 UNITS UNITS Colleen McKinney 9000 Blue Mound Road D. Leon Griffin **QUANTITY HANDLED** -003930-7H **QUANTITY HANDLED** -0038403H-Leon Griffin TEXAS WASTE CODE INCESS TRIPLOS O 600 TEXAS WASTE

ANNUAL WASTE SUMMARY

YOUR WASTE GENERATION FEE IS CALCULATED FROM THIS REPORT. BE SURE THE INFORMATION IS CORRECT. TO REPORT WASTEWATER, SEE INSTRUCTION BOOKLET RG-151. G 1 Report for: 19 97 TOTAL GUANTITY GENERATED П П Н ټـر 1-4 Ē ANDF O N REGISTRATION NUMBER: 38907 ⊲; Ц Waste sludge from coagulation and flocculation of press SUMMARY STATUS REVISED SUMMARY Maste Intaglio ink from printing presses producting U.S. × T Your SOLID WASTE H U U н С WASTE DESCRIPTION OMA O M WASTE DESCRIPTION {See 30 TAC 335.9(a)(3); also see instructions} **ANNUAL WASTE SUMMARY** OKLAH Ä COMMENTS COMMENTS 0 R L 1997 NO REPORT REQUIRED **ORIGINAL SUMMARY** FOR DATA YEAR; RECEIVER'S EPA ID# RECEIVER'S EPA ID# EPA HAZARDOUS EPA HAZARDOUS WASTE NO. WASTE NO. EPA HAZARDOUS WASTE NO. EPA HAZARDOUS WASTE NO. 0 0 4 0 ന 0 0 4 0 FACILITY NUMBER FACILITY NUMBER 817-847-3887 TELEPHONE: (512) 239-6832 ਰ N 7 EPA HAZARDOUS EPA HAZARDOUS WASTE NO. EPA HAZARDOUS EPA HAZARDOUS WASTE NO. WASTE NO. 2 32 SYSTEM TYPE CODE SYSTEM TYPE CODE 4 4 M M 1 Department of the Treasury Fort Worth, TX 76131-3304  $M_1$ 49 Ξ 6 UNITS UNITS CJ 8 വൃ വു 9000 Blue Mound Road 99 D4 88 0 4 O)  $\vdash$ ω QUANTITY HANDLED n QUANTITY HANDLED (1) o Leon Griffin TEXAS WAGTE CODE 378 0 TEXAS WASTE CODE 00/403,191 디 00414091 2 ო

certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based and complete. on my

Authorized Agent (PRINT NAME)	Inquiry of those individuals immediately responsible for obtainment McKinney  Preparer (PRINT NAME)  D. Leon Griffin	Colleen McKinney  Preparer (PRINT NAME)  D. Leon Griffin
CIVIDALITY OF THE PROPERTY OF	Authorized Agent (PRINT NAME)	Signature of Hitch State Annal
	The state of the s	

FPA ID# T.X. 1, 2,0,0,9,3,9,6,2,1

SUPPLEMENTAL SUMMARY 4.0 *FOTAL QUANTITY GENERATED* 3 9 7 5 m

ଫ ଅ

UNITS

O. 18

ن وح

Page 18 of 19

UNITE YOUR WASTE GENERATION FEE IS CALCULATED FROM THIS REPORT. BE SURE THE INFORMATION IS CORRECT TO REPORT WASTEWATER, SEE INSTRUCTION BOOKLET RG-151. UNITS SUPPLEMENTAL SUMMARY EPA 1D# T, X, 1, 2, 0,0,9,3,9,6,2,1 G 1 Report for: 19 97 TOTAL QUANTITY GENERATED TOTAL QUANTITY GENERATED ā Page 19 of Nour SOLID WASTE 38907 certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on my inquiry of those individuals immediately responsible for obtaining the information, I belleve that the submitted information is true, accurate, and complete. Waste carbon cartridges enclosed in metal casings. Moun **SUMMARY STATUS** REVISED SUMMARY 15-51-WASTE DESCRIPTION WASTE DESCRIPTION {See 30 TAC 335.9(a)(3); also see instructions} COMMENTS COMMENTS FOR DATA YEAR: 1997 NO REPORT REQUIRED ORIGINAL SUMMARY · RECEIVER'S EPA ID# RECEIVER'S EPA ID# EPA HAZARDOUS WASTE NO. EPA HAZARDOUS EPA HAZARDOUS EPA HAZARDOUS WASTE NO. WASTE NO. WASTE NO. EPA HAZARDOUS EPA HAZARDOUS WASTE NO. WASTE NO. FACILITY FACILITY Fort Worth, TX 76131-3304 817-847-3887 TELEPHONE: (512) 239-6832 MC 129
INDUSTRIAL AND HAZARDOUS WASTE DIVISION
INDUSTRIAL RESOURCE CONSERVATION COMMISSION
P.O. BOX 13087
TELEPHONI SYSTEM TYPE CODE SYSTEM TYPE CODE Authorized Agent (PRINT NAME) Department of the Treasury Coileen McKinney
Preparer (PRINT NAME) 6 Ξ Ξ UNITS UNITS 9000 Blue Mound Road D. Leon Griffin QUANTITY HANDLED QUANTITY HANDLED eon Griffin TEXAS WASTE CODE TEXAS WASTE CODE -0042310H

ANNUAL WASTE SUMMARY

**HASTE EVALUATION SECTION**